


Strung







- Interior surface mounted wall light
- Material: steel & glass
- Colour: black and antique bronze
- Globe not included
- For indoor use only





Part No.	STRUNG1
Description	WALL INTERNAL S/M ES 40W Black / Antique Brass and Clear Pear Shaped Glass
Material	Steel & glass
Lamp Holder	1xE27 (Max.40W HAL)
Dimensions	W 120 x H 317 x D 195mm
Back plate	H 150 x W 110 x D 20mm
Carton QTY	1/4

Alta











ALTA2W (Matte black)







*ALTA interior pendant lights are also available








- Interior surface mounted wall lights
- Head adjustable
- Material: iron
- Globe not included
- For indoor use only





Part No.	ALTA1W, ALTA2W & ALTA3W
Description	WALL INTERNAL ES 72W Matt WH/ BLK/ GREY Adj BELL (with copper highlights)
Material	Iron
Lamp Holder	1xE27 (Max.72W HAL)
Dimensions	Ø225 x H 270mm
Back plate	Ø110mm
Carton QTY	1/10

Veneto






- Material: iron
- Matte black finish
- Globe not included
- For indoor use only











Part No.	VENETO-W1
Description	WALL INTERNAL S/M ES 72W BLK IRON
Material	Iron
Lamp Holder	1xE27 (Max.72W HAL)
Dimensions	D 190 x H 380mm
Back plate	Ø100mm
Carton QTY	1/1

Part No.	VENETO-W2
Description	WALL INTERNAL S/M ES X 2 72W BLK
Material	Iron
Lamp Holder	2xE27 (Max.72W HAL)
Dimensions	W 330 x H 380mm
Back plate	Ø100mm
Carton QTY	1/1





Steam

- Interior surface mounted wall lights
- Material: iron (aged finish)
- Globe not included
- For indoor use only





Part No.	STEAM1
Description	WALL INTERNAL S/M ES X 3 25W AGED IRON PIPE
Material	Iron
Lamp Holder	3xE27 (Max.72W HAL)
Dimensions	W 380 x H 450mm
Back plate	Ø95mm
Carton QTY	1/1

Part No.	STEAM2
Description	WALL INTERNAL S/M ES 25W AGED IRON PIPE
Material	Iron
Lamp Holder	1xE27 (Max.72W HAL)
Dimensions	D 190 x H 380mm
Back plate	Ø95mm
Carton QTY	1/1



380




STEAM1

Part No.	STEAM3
Description	WALL INTERNAL S/M ES 25W X 4 AGED IRON PIPE
Material	Iron
Lamp Holder	4xE27 (Max.72W HAL)
Dimensions	W 400 x H 490mm
Back plate	Ø95mm
Carton QTY	1/1









Deksel

• Interior aged copper wall lights

• Input voltage range: 110-265V AC

· Shade: aged oxidised solid copper

· Screw: stainless steel

• Globe not included

• For indoor use only







Part No.	DEKSEL02
Description	WALL ES 60W MATT AGED COP (Brass bracket & base neck)
Material	Aged copper
Lamp Holder	1xE27 (Max.60W HAL)
Dimensions	430x295mm
Back plate	200x25mm
Carton QTY	1/1

*DEKSEL interior pendant lights & outdoor wall lights are also available





Autumn

- Interior surface mounted wall light
- · Shade: iron with aged bronze finish
- Shade lining: PC
- Globe not included
- · For indoor use only






Part No.	AUTUMN03W
Description	WALL INTERNAL SES x 2 60W Curved Aged Bronze with Amber Lining
Material	Iron with aged bronze finish, PC
Lamp Holder	2xE14 (Max.60W HAL)
Dimensions	W 200 x H 280 x D 115mm
Back plate	280x160mm
Carton QTY	1/1

*AUTUMN interior pendant lights & table lamp are also available














Meti

- Interior wall light
- Input voltage: 220-240V AC 50/60Hz
- Material: iron, wood & glass
- Globe not included
- For indoor use only







Part No.	METI03W
Description	WALL INTERNAL ES Warm Chestnut Wood Frame Clear Glass Shades and Oil Rubbed Bronze Hardware
Material	Iron, wood & glass
Lamp Holder	1xE27 (Max.60W HAL)
Dimensions	W 252 x H 340 x D 184mm
Back plate	
Carton QTY	1/1



METI03W









*METI interior pendant lights are also available


Sputnik

- Interior surface mounted wall light
- · Shade: polished nickel/ dark-light grey washed wood
- Globe not included
- For indoor use only





Part No.	SPUTNIK2
Description	WALL INTERNAL ES X 4 POL- ISHED NICKEL / DARK-LIGHT GREY WASHED
Material	Wood
Lamp Holder	4xE27 (Max.60W HAL)
Dimensions	W 474 x H 685 x D 110mm
Back plate	340x140mm
Carton QTY	1/1





*SPUTNIK interior pendant lights are also available







- Interior LED surface mounted wall lights (excl. LYON)
- LYON is recessed wall light
- · Ideal to create ambient lighting
- Low energy long life LED chips
- 12V inbuilt constant current driver included
- Ambient temperature: -20 to 50°C
- For residential and indoor use only
- Suitable for 2 way switching
- Suitable for use with PIR or Microwave sensor

Part No.	ATHENSG2
Description	WALL INTERNAL S/M CITY LED MATT WH OVAL 1 WAY
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	460LM
Wattage	6W
LED chips	36pcs 2835
Dimensions	D 93 x W 265mm
Back plate	L 100 x W 50 x 30mm
Carton QTY	1/12














Part No.	BARCELONA
Description	WALL INTERNAL S/M CITY LED Clear Border / Frosted Inner Rect / Brushed S/C Plate
Material	Aluminium, brushed S/C, acrylic & iron
Kelvin	3000K
Lumens	614LM
Wattage	10W
LED chips	160pcs 2835
Dimensions	L 360 x W 135 x D 40mm
Back plate	L 310 x W 45mm
Carton QTY	1/12






























DescriptionWALL INTERNAL S/M CITY LED MATT WH BOWMaterialIron, aluminium WH & acrylicKelvin3000KLumens480LMWattage16WLED chips1pc 2835 COB LED
Kelvin 3000K Lumens 480LM Wattage 16W
Lumens 480LM Wattage 16W
Wattage 16W
LED chips 1pc 2835 COB LED
Dimensions L 220 x W 160 x D 115mm
Back plate L 120 x W 40 x 45mm (Mouting U bracket: 100x20mm, central 10mm cable hole)
Carton QTY 1/12









Part No.	DELHI
Description	WALL INTERNAL Angled Up/Down S/M CITY LED SAND WH
Material	Aluminium, acrylic & iron
Kelvin	3000K
Lumens	469LM
Wattage	12W
LED chips	24pcs 2835
Dimensions	L 202 x W 181 x D 100mm
Back plate	L 130 x W 60mm
Carton QTY	1/12









Part No.	DUBAIG2
Description	WALL INTERNAL S/M CITY LED MATT WH CURVED
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	460LM
Wattage	6W
LED chips	36pcs 2835
Dimensions	262 x 155 x 85mm
Back plate	L 180 x W 60 x 35mm (Mounting U bracket: 170x30mm, Central 7mm cable hole)
Carton QTY	1/12
























Part No.	GENEVA
Description	WALL INTERNAL S/M CITY LED MATT WH CURVED
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	822LM
Wattage	10W
LED chips	60pcs 2835
Dimensions	262x100x102mm
Back plate	L 160 x W 70 x 22mm (Mouting U bracket: 150x22mm, central 7mm cable hole)
Carton QTY	1/12



















Part No.	MILAN
Description	WALL INTERNAL S/M CITY LED MATT WH TUBE UP/DN
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	448LM
Wattage	6W
LED chips	12pcs 5630
Dimensions	300x70x90mm
Back plate	L 100 x W 70 x 30mm (Mounting U bracket: 60x20mm)
Carton QTY	1/12

























Part No.	NEW YORKG2
Description	WALL INTERNAL S/M CITY LED S/Nickel with Clear Acrylic Border RECT UP/DN
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	360LM
Wattage	6W
LED chips	36pcs 2835
Dimensions	L 170 x W 100 x D 68mm
Back plate	L140 x W 40 x 30mm (Mounting U bracket: 130x20mm, central 7mm cable hole)
Carton QTY	1/12
















Part No.	PARIS
Description	WALL INTERNAL S/M CITY LED S/C ADJ PICTURE
Material	Iron, copper S/nickel
Kelvin	3000K
Lumens	611LM
Wattage	6W
LED chips	66pcs 2835
Dimensions	W 453 x D 208mm
Back plate	L 100 x W 45 x 25mm (Mouting U bracket: 90x20mm, central 25mm cable hole)
Carton QTY	1/12














Part No.	PHOENIX
Description	WALL INTERNAL S/M CITY LED MATT WH CURVED UPLIGHT
Material	Aluminium, iron & acrylic
Kelvin	3000K
Lumens	395LM
Wattage	6W
LED chips	6pcs 5050
Dimensions	L 200 x W 60 x D 106mm
Back plate	L 90 x W 60mm (Mounting U bracket: 100x20mm, 25mm cable entry off to one side)
Carton QTY	1/12














Part No.	RIO
Description	WALL INTERNAL S/M CITY LED MATT WH RECT UPLIGHT 90D ADJ
Material	Aluminium, iron, copper WH & acrylic
Kelvin	3000K
Lumens	244LM
Wattage	2x3W
LED chips	2pcs 5050
Dimensions	L 140 x W 90 x D 120mm
Back plate	L100 x W 45 x 30mm (Mounting U bracket: 90x20mm, 25mm cable entry off to one side)
Carton QTY	1/12









Part No.	ROMEG2
Description	WALL INTERNAL S/M CITY LED S/C TUBULAR Up/Dn
Material	Iron, aluminium s/chrome & acrylic diffuser
Kelvin	3000K
Lumens	230LM
Wattage	2x1W
LED chips	2pcs 3535
Dimensions	L 242 x W 80 x D 52mm
Back plate	L 100 x W 45 x 30mm (Central 25mm cable hole)
Carton QTY	1/12




































Part No.	VENICEG2
Description	WALL INTERNAL S/M CITY LED MATT WH RECT UP/DN
Material	Aluminium & iron
Kelvin	3000K
Lumens	615LM
Wattage	6W
LED chips	36pcs 2835
Dimensions	L 195 x W 36 x D 115mm
Back plate	L170 x W 36 x 30mm (Central 7mm cable entry)
Carton QTY	1/12













Part No.	VIENNA
Description	WALL INTERNAL S/M CITY LED MATT WH RECT with Clear / Frost Ribbed Diffuser
Material	Iron, aluminium & acrylic
Kelvin	3000K
Lumens	803LM
Wattage	12W
LED chips	12pcs 5050
Dimensions	L 320 x W 120 x D 80mm
Back plate	L 308 x W 90 x 38mm (Mounting plate: 160x30mm, central 7mm cable entry)
Carton QTY	1/12






IP20 Rated













IP20 Rated







45


Part No.	SEATTLE1
Description	WALL INTERNAL S/M CITY LED ADJ BAR CHROME
Material	Iron aluminium, chrome & acrylic frosted diffuser
Kelvin	3000K
Lumens	283LM
Wattage	3W
LED chips	3pcs 5050
Dimensions	L 90 x Ø90mm
Back plate	L90 x W 50 x D 35mm
Carton QTY	1/12



















Part No.	SEATTLE3
Description	WALL INTERNAL S/M CITY LED ADJ 3LT BAR CHROME
Material	Iron aluminium, chrome & acrylic frosted diffuser
Kelvin	3000K
Lumens	840LM
Wattage	3x3W
LED chips	9pcs 5050
Dimensions	L 524 x Ø90mm
Back plate	L 524 x W 45 x D 25mm
Carton QTY	1/12
























Part No.	VIGOL
Description	WALL INTERNAL S/M CILED MATT WH 2 switch FR Glass Deco & Left Oriented Reading Light (w/ USB charger)
Material	Iron, aluminium & acrylic
Kelvin	3000K
Lumens	900LM
Wattage	6W (Main lamp) + 3W (reading light)
LED chips	30pcs 2835 (main lamp) + 1pc 3535 (reading light)
Dimensions	L 240 x W 237 x D 152mm
Back plate	210 x 80mm
Carton QTY	1/6


Independent switches on mounting base, 5V 2A USB charger in side of mounting base, shelf for safe support of device being charged, reading light is rotatable











Independent switches on mounting base, 5V 2A USB charger in side of mounting base, shelf for safe support of device being charged, reading light is rotatable











240



Part No.	BRIGHTON01
Description	WALL INTERNAL S/M ES (60W) Flaxen Shade + LED (3W) Adj Matt WH Reading Light
Material	Cloth shade, aluminium back plate, iron mounting bracket
Lamp holder (main lamp)	1xE27 (Max.60W HAL)
Wattage (reading light)	3W
Kelvin (reading light)	3000K
Lumens (reading light)	278LM
LED chips (reading light)	1pc 3535
Dimensions	L 282 x W 160 x D 193mm
Back plate	L 140 x W 120mm, 2xON/OFF switch on bottom of back plate
Carton QTY	1/6
















Part No.	BRIGHTON02
Description	WALL INTERNAL S/M ES (60W) Flaxen Shade + LED (3W) Adj Matt WH Reading Light
Material	Cloth shade, aluminium back plate, iron mounting bracket
Lamp holder (main lamp)	1xE27 (Max.60W HAL)
Wattage (reading light)	3W
Kelvin (reading light)	5000K
Lumens (reading light)	298LM
LED chips (reading light)	1pc 3535
Dimensions	L 282 x W 160 x D 193mm
Back plate	L 140 x W 120mm, 2xON/OFF switch on bottom of back plate
Carton QTY	1/6














Part No.	CHESTER01
Description	WALL INTERNAL S/M ADJ LED 6W WH 1 switch Clear PS Shade
Material	Aluminium housing, PS shade, iron mounting bracket
Kelvin	3000K
Lumens	402LM
Wattage	6W
LED chips	30pcs 2835
Dimensions	L 180 x W 130 x D 173.5mm
Back plate	180 x 50mm
Carton QTY	1/6














Part No.	CHESTER02
Description	WALL INTERNAL S/M ADJ LED 6W WH 1 switch Clear PS Shade
Material	Aluminium housing, PS shade, iron mounting bracket
Kelvin	5000K
Lumens	480LM
Wattage	6W
LED chips	30pcs 2835
Dimensions	L 180 x W 130 x D 173.5mm
Back plate	180 x 50mm
Carton QTY	1/6














Crescent LED






CRESCENT1



CRESCENT2



Part No. **CRESCENT1 & CRESCENT2** WALL INTERNAL S/M LED DIMM Description 7W 140D 3000K (320 Lumens) Double Insulated PBT Plastic base, frosted glass Material diffuser CRESCENT1: 3000K Kelvin CRESCENT2: 5000K CRESCENT1: 320LM Lumens CRESCENT2: 350LM Wattage 7W CRI >80 **LED** chips SMD LED **Dimensions** Please see line drawing Back plate 310 x 150mm **Carton QTY**

- Interior LED surface mounted wall lights
- Input voltage: 240V AC 50/60Hz Internal LED driver included

· Colour: white

• Back plate: PBT plastic · Diffuser: frosted glass

• High efficiency SMD LED chips

• Power factor: >0.9 • Switch times: >=20,000 Suitable for dimming

• Ambient temperature: -20 to 40°C













Tested & Recommended Dimmers:

- HPM Legrand Trailing Edge CAT400T
- Clipsal Trailing Edge 32E450TM
- Clipsal Universal 4061E2PUDM
- Lumex Digital dimmer LT1D450L

Vanity LED





- Interior LED surface mounted wall lights
- Input voltage: 240V AC 50/60Hz
- 12V driver included
- Shade: Iron & stainless steel
- · Diffuser: acrylic opal
- Chrome finish
- CRI: >80
- Ideal for creating ambient lighting
- Low energy longlife LED lighting
- Not suitable for dimming










Part No.	VANII Y-1
Description	WALL INTERNAL S/M VANITY LED CHROME Frosted Acrylic Diffuser SHORT
Material	Iron, stainless steel, acrylic opal
Kelvin	4000K
Lumens	525LM
Wattage	7.68W
CRI	>80
LED chips	-
Dimensions	L 490 x W 50 x D 85mm
Back plate	L 440 x W 36 x D 50mm
Carton QTY	1/12



Part No.	VANITY-2
Description	WALL INTERNAL S/M VANITY LED CHROME Frosted Acrylic Diffuser LONG
Material	Iron, stainless steel, acrylic opal
Kelvin	4000K
Lumens	986LM
Wattage	19.2W
CRI	>80
LED chips	-
Dimensions	L 810 x W 52 x D 89mm
Back plate	L 760 x W 36 x D 52mm
Carton QTY	1/6