

# SUMMER COOLING



**ventair<sup>tm</sup>**

THE AIR MOVEMENT SPECIALISTS

# NEW PRODUCT!

# SPYDA <sup>4</sup> BLADE

## THE CEILING FAN REVOLUTION



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M <sup>3</sup> /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPY1254WH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1254WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1254TK/WN	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1254TK-L/WN-L	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1424WH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1424WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1424TK/WN	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1424TK-L/WN-L	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056

\*PC: Polycarbonate Blades





**6 YEAR**  
WARRANTY

**TITANIUM**

**TWO SIZES: SPYDA<sup>50</sup>**

**1250MM**

**SPYDA<sup>56</sup>**

**1400MM**

**5 COLOUR OPTIONS**



**SATIN WHITE**



**TEAK**



**WALNUT**



**MATTE BLACK**

Product appearance may slightly vary.

# SPYDA <sup>3</sup> BLADE

## THE CEILING FAN REVOLUTION

**LED LIGHT  
VERSIONS AVAILABLE**



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed (RPM)	Airflow M <sup>3</sup> /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPY903WH/TI/BL	White/Titanium/Black	900	60/24/16	280/210/150	7,400	3	PC*	N/A N/A	N/A	N/A	N/A
SPY1253NWH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1253WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1253NBAM/TK/WN	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1253BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1423NWH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1423WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1423NBAM/TK/WN	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1423BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1573NWH/TI/BL	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	N/A N/A	N/A	N/A	SPYRFR62
SPY1573WH-L/TI-L/BL-L	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR62
SPY1573NBAM/TK/WN	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	N/A N/A	N/A	N/A	SPYRFR62
SPY1573BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	20w 2050Lm	Yes	Yes	SPYRFR62

\*PC: Polycarbonate Blades



**SIX COLOUR OPTIONS**

**6 YEAR  
WARRANTY**

**NOW  
AVAILABLE IN  
FOUR SIZES:**

**SPYDA<sup>36</sup> 900MM**

**SPYDA<sup>50</sup> 1250MM**

**SPYDA<sup>56</sup> 1400MM**

**SPYDA<sup>62</sup> 1570MM**

**BAMBOO**

**TEAK**

**WALNUT**

Product appearance may slightly vary.

# NEW PRODUCT!

# SPINIKA

## 6 YEAR WARRANTY

### THE CEILING FAN REVOLUTION



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



New Glass fibre Composite Blades for increased strength and durability



New aerodynamic blade design for highest levels of air movement



Durable corrosion proof components and UV protection allows the Spinika to be safely used for both indoor/covered outdoor and commercial applications



ECO Switch Setting. A pre selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Low noise output makes the Spinika an ideal fan for bedrooms



Reversible airflow option for summer or winter



Highest Quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Installation friendly quick connect wiring and quick fix assembly



Fully integrated 20 watt LED Light with high lumen output



Three light colour options: cool, natural or warm white to suit your preference



Unique dimming function allows 25%, 50%, 75% or 100% light output




Hi-Tec UV coating for exceptional durability and protection against harsh Aussie conditions

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M <sup>3</sup> /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPN1204WH/TI/BL	White/Titanium/Black	1220	68/22/13	220/160/100	12,480	4	GFC*	N/A N/A	N/A	N/A	SPNRFR
SPN1204WH-L/TI-L/BL-L	White/Titanium/Black	1220	68/22/13	220/160/100	12,480	4	GFC*	20w 2050Lm	Yes	Yes	SPNRFR
SPN1304WH/TI/BL	White/Titanium/Black	1300	100/62/27	220/160/100	15,000	4	GFC*	N/A N/A	N/A	N/A	SPNRFR
SPN1304WH-L/TI-L/BL-L	White/Titanium/Black	1300	100/62/27	220/160/100	15,000	4	GFC*	20w 2050Lm	Yes	Yes	SPNRFR

\*GFC: Glass Fibre Composite





**TITANIUM**



**TWO SIZES:**

**1220MM**

**1300MM**

**WHITE**

**BLACK**



**LED LIGHT  
VERSIONS AVAILABLE**

Product appearance may slightly vary.

# SPYDA AND SPINIKA

## THE CEILING FAN REVOLUTION

### ACCESSORIES



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.

#### SPYDA Remote



#### SPINIKA Remote



Model	Description
SPYRFR5056	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 50" and 56" Spyda Ceiling Fans.
SPYRFR62	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 60" Spyda Ceiling Fans.

Model	Description
SPNRF	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Spinika Ceiling Fans.

Product appearance may slightly vary.


8 | [www.ventair.com.au](http://www.ventair.com.au)

**ventair**™





## SPYDA Extension Rods



Model	Description
SPYEXTR45 WH/TI/BL	Satin White / Titanium / Matte Black 450mm with quick connect wiring loom included.
SPYEXTR60 WH/TI/BL	Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included.
SPYEXTR90 WH/TI/BL	Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included.

## SPINIKA Extension Rods



Model	Description
SPNEXTR60 WH/TI/BL	Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included.
SPNEXTR90 WH/TI/BL	Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included.

## SPYDA AND SPINIKA

### Joiner Kit for Extension Rods



Model	Description
SPJKWH	Extension Rod Joiner Kit - Satin White.
SPJKBL	Extension Rod Joiner Kit - Matte Black.
SPJKTI	Extension Rod Joiner Kit - Titanium.

## SPYDA AND SPINIKA

### J-Hook



Model	Description
SPYJHWH	J-Hook hanging pack - Satin White.
SPYJHTI	J-Hook hanging pack - Titanium.
SPYJHBL	J-Hook hanging pack - Matte Black.







# Harmony II

## 1220MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.
- Four precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.



Model	Colour	LED Output		CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
HAR1204WH/TI/BL	White/Titanium/Black	N/A	N/A	N/A	1220mm	4	ABS	75w	239/174/125	NGCFRC or UCFR
HAR1204WH-L/TI-L/BL-L	White/Titanium/Black	18W	1500Lm	4000K	1220mm	4	ABS	75w	239/174/125	NGCFRC or UCFR



# Royale II

## 1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.
- Four precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.
- Timber look range has an oiled rubbed bronze motor housing and canopy.

Model	Colour	LED Output		CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
ROY1304WH/TI/BL	White/Titanium/Black	N/A	N/A	N/A	1320mm	4	ABS	75w	210/150/102	NGCFRC or UFRC
ROY1304LO/WN	Light Oak/Walnut	N/A	N/A	N/A	1320mm	4	ABS	75w	210/150/102	NGCFRC or UFRC
ROY1304WH-L/TI-L/BL-L	White/Titanium/Black	18w	1500Lm	4000K	1320mm	4	ABS	75w	210/150/102	NGCFRC or UFRC





# ENERGY SAVING DC



## Royale DC

1320MM NEW GENERATION DC CEILING FAN

DC Fans will use approximately  
**50-75% LESS POWER**  
than a comparable AC fan with  
similar performance levels.

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- High quality 18W LED light option.
- Pre-balanced for smoother, quieter performance.
- Four precision moulded ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Colour	LED Output		CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
ROY1304WH-DC	White	N/A	N/A	N/A	1320mm	4	ABS	4w to 33w	245/210/180/145/105	Included
ROY1304WHL-DC	White	18w	1500Lm	4000K	1320mm	4	ABS	4w to 33w	245/210/180/145/105	Included



# ENERGY SAVING DC



## Seattle DC

1400MM NEW GENERATION DC CEILING FAN

DC Fans will use approximately  
**50-75% LESS POWER**  
than a comparable AC fan with  
similar performance levels.

- Latest in Energy Saving DC ceiling fan technology.
- New blade design for maximum air circulation.
- Suitable for indoor and covered outdoor applications.
- Five speed RF remote control with timer included.
- Pre-balanced for smoother, quieter performance.
- Three precision moulded timber style ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
SEA1403LO-DC/WN-DC	Light Oak/Walnut	1400mm	3	ABS	5w to 38w	206/186/161/120/86	Included



# Mariah

## 1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.
- Five precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Colour	LED Output		CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
MAR1305WH	White	N/A	N/A	N/A	1320mm	5	ABS	75w	240/165/110	NGCFRC or UCFR
MAR1305WH-L	White	18w	1500Lm	4000K	1320mm	5	ABS	75w	240/165/110	NGCFRC or UCFR





# Malibu IP55



## 1320MM NEW GENERATION OUTDOOR CEILING FAN

- IP55 Dust and Water protection rating.
- Engineered for large area air circulation.
- Up to 50% more air circulation than timber blade fans.
- Designed specifically for outdoor and coastal applications.
- Pre-balanced for smoother, quieter operation.
- Four durable ABS moulded blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
MAL1404TI	Titanium	1320mm	4	ABS	100w	255/161/104	NGCFRC or UCFR

**316 STAINLESS STEEL  
MARINE GRADE**



# National



## 1320MM HIGH PERFORMANCE OUTDOOR FAN

- Full 316 Marine Grade Stainless Steel construction.
- Excellent air movement and cooling effect.
- Ideal for covered outdoor and coastal regions.
- Premium long life ball bearing motor.
- Reversible airflow option for summer or winter.
- Easy install with quick connect wiring and quick fix blades.
- 316 Grade Stainless Steel 900mm extension rod available.

Model	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
Z524EXTSS	1320mm	4	316 Stainless Steel	75w	230/130/80	VRFR or UCFR





# Bullet

## 1220MM NEW GENERATION CEILING FAN

- Latest ceiling fan technology and design.
- Suitable for indoor/covered outdoor applications.
- Light option available.
- Pre-balanced for smoother, quieter operation.
- Three precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Light Type	Remote Adaptable
BUL1203WH/TI	White/Titanium	1220mm	3	ABS	45w	210/155/102	NA	NGCFRC or UCFR
BUL1203WH-L/TI-L	White/Titanium	1220mm	3	ABS	45w	210/155/102	1 x B22	NGCFRC or UCFR



# Manhattan

## ENCLOSED CEILING FAN WITH LED LIGHT

- Fully enclosed ceiling fan with 360° LED light diffuser.
- Unique stylish design offers a safe, clean and compact look.
- Quality rotating louvre creates widespread variable air circulation.
- Extra safe enclosed blade design ideal for bedrooms and living areas.
- 22 Watt dimmable natural LED light.
- 3 Speed remote with LED dimmer.

Model	Grille Colour	Diameter	Blade Count	Blade Material	Motor Watt	Speed R/M/L	Light Output	Light Colour	LED Output	Remote Control
MANH40WH/BL	White/Black	570mm	3	ABS	78w	1300/1150/1000	22 watt LED	Natural White	1400Lm	Yes





**WHITE OR BLACK GRILLE OPTION**

# Light Kits



Model	Description
VCFLLED-WW	Universal 18w LED Fan Light, Warm White 3000k, 1650Lm (10mm Standard thread)
VCFLLED-NW	Universal 18w LED Fan Light, Natural White 4000k, 1650Lm (10mm Standard thread)



Model	Description
VCLW	180mm White Clipper Light with 1 x B22

# Remote Controls



Model	Description
UCFR	Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans.



Model	Description
NGCFRC	Premium 3 Speed RF Remote Control Kit with timer function. Includes 1-9 Hr Timer function. Suits New Gen Ceiling Fans.




Model	Description
VRFR	3 speed Radio Frequency Remote Control kit suits most Ventair Traditional Fans.





Model	Description
NGCANOPYBL	Black Canopy required for pitched ceilings or extension rods to suit Seattle DC Ceiling fans.



# Extension Rods



Ceiling fan extension rods for various models.  
All extension rods come with **quick connect wiring loom**.



Model	Description
VEXRS316900	900mm <b>316 Stainless Steel</b> to suit the <b>NATIONAL</b>
MARXR90-WH/TI	900mm to suit <b>MARIAH</b> and <b>BULLET</b> White/Titanium
HRMXR90-WH/TI/BL	900mm to suit <b>HARMONY II</b> , <b>ROYALE II</b> and <b>MALIBU IP55</b> White/Titanium/Black
HRMXR90-WH-DC	900mm to suit <b>ROYALE II DC</b> White
SEAWASXR90-BL	900mm to suit <b>SEATTLE DC</b> Black





# Zephyr II

## WALL MOUNTED COOLING FAN

- Wall mounted three speed cooling fan.
- Oscillating and tilt adjustable head helps cool the whole room.
- AC Plug and lead makes installing easy.
- 0.5hr-7.5hr Timer (Remote model only).
- Wind/Breeze/Sleep Mode (Remote model only).

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ZEP40PC	Pull Cord	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing
ZEP40R	Remote Control	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing





# Orbital

## 450MM COMMERCIAL GRADE CEILING MOUNT FAN

- 360 degree orbital motion for maximum cooling.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Ideal for warmer climate areas.
- Three speed settings.
- Wall switch included.

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ORB45	Wall Control	White	450mm	515mm	160w	1400/1200/900	Ball Bearing



# Pedestal

450 & 750MM HEAVY DUTY  
PEDESTAL COOLING FAN




- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.

- Three and four speed settings.
- Adjustable head height.
- Heavy duty metal base.

Model	Colour	Fan Size	Grille Size	Max Height	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
PED45	Black	450mm	515mm	1500mm	160w	1400/1250/1100/900	Ball Bearing
PED75	Black	750mm	810mm	1700mm	280w	1400/1270/1150	Ball Bearing





# Wall

## 450 & 750MM HEAVY DUTY WALL FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three speed settings.

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
WAL45	Pull Cord	Black	450mm	515mm	160w	1400/1300/1100	Ball Bearing
WAL75	3 Speed Switch	Black	750mm	810mm	280w	1400/1270/1150	Ball Bearing



**ventair<sup>tm</sup>**  
THE AIR MOVEMENT SPECIALISTS

[www.ventair.com.au](http://www.ventair.com.au)

Phone: +61 3 9775 0556  
Fax: +61 3 9775 0775  
4 Capital Place, Carrum Downs  
Vic 3201 Australia

