



Oriel
LIGHTING

lighting evolution
2024 master catalogue

a selection of what's new in the **oriel lighting** master catalogue 2024



Venice table lamp 008



Charlotte desk lamp 027



Rochester pendant 069



Noodle LED pendant 039



Hera outdoor light 113



Reno.5 pendant 071



Malaga pendant shade 049



Norbert wall light 088



Tommy DIY 078



Malta floor lamp 031



table lamps 004



touch lamps 019



floor lamps 023



task lamps 027



LED pendant lights 039



earth lighting 049



decorative pendants 052



mid-century 070



DIY ceiling lights 078



wall lights 081



spot lights 089



vanity lights 096



recessed lights 097



ceiling lights 099



outdoor wall lights 101



outdoor bollards 117



outdoor bulkheads 119



outdoor 12v DIY 122



accessories + spares 124



light globes 125

OL97619BK

Riata Complete Lamp

H58 Shade D30

E27 60w



OL98881

Zamora

H52 Shade D23

E27 42w



OL98882

Biscay

H47 Shade D27

E27 42w



OL98878

Exeter

H57 Shade D31

E27 42w



OL93941AB

Deco

H36 Shade D25

E14 42w



OL93941BC

Deco

H36 Shade D25

E14 42w



OL98893

Xian

H56 Shade D31

E27 40w



OL98892

Mei

H50 Shade D36

E27 40w




OL97939

Habitat Lamp

H69 W40 D18

E27 60w



LAMPS | coastal

OL94511

Brizo
H48 Shade D27
E27 40w



OL98885

Yamba
H55 Shade D35
E27 42w



Glass
base



OL98842

Pippi
H53 Shade D35
E27 60w



OL95711

Tegal
H50 Shade D30
E27 40w

NEW



OL95712

Medan
H43 Shade D23
E27 40w

NEW



OL95713CL

Fermo
H46 Shade D28
E27 40w

NEW



Clear
Glass



OL95714CL

Melfi
H41 Shade D28
E27 40w

NEW



Clear
Glass



OL95715GN

Nizio Green
H40 Shade D25
E27 40w

NEW



Green
Glass



OL95715SM

Nizio Smoke
H40 Shade D25
E27 40w

NEW



Smoke
Glass



LAMPS | modern farmhouse

OL98886

Provence
H61 Shade 39x22
E27 40w



OL98887

Strata
H49 Shade D30
E27 40w



OL98897

Whitby
H57 Shade D28
E27 40w

NEW



OL98880

Cadiz
H52 Shade D27
E27 42w



OL98895

Potton
H63 Shade D33
E27 40w



OL98896

Matlock
H58 Shade D28
E27 40w



OL98877

Stafford
H52 Shade D28
E27 40w

NEW



OL98879

Carlisle
H52 Shade D28
E27 40w

NEW



OL98890

Stote
H54 Shade D33
E27 40w

NEW



LAMPS | statement

OL94529

Sonia
H45 Shade D28
E27 40w

NEW



OL94530

Eden
H50 Shade D30
E27 40w

NEW



OL94531

Ava
H57 Shade D32
E27 40w

NEW



OL94532

Laurel
H40 Shade D21
E14 40w

NEW



OL94533

Gaia
H48 Shade D27
E27 40w

NEW



OL94534

Fawn
H40 Shade D24
E14 40w

NEW



OL94535

Delphin
H59 Shade D35
E27 40w

NEW



OL94537

Maya
H40 Shade D24
E27 40w

NEW



OL94538

Lilia
H37 Shade D22
E14 40w

NEW



LAMPS | coastal hues

OL97971WH

Bikki
H54 Shade D36
E27 60w



OL97971BL

Bikki
H54 Shade D36
E27 60w



OL98889

Venice
H55 Shade D33
E27 40w



Petrol
Blue
Glass



OL98837

Azure
H65 Shade D38
E27 60w



OL97978TE

Casbah Teal
H51 Shade D30
E27 60w



OL97978WH

Casbah White
H51 Shade D30
E27 60w



OL93801AB

Chi Antique Brass
H52 Shade 27x12
E27 40w



OL93801CH

Chi Chrome
H52 Shade 27x12
E27 40w



OL98870

Jorn
H53 Shade D27
E27 42w



OL94521

Zale

H39 Shade D19

E14 40w



OL94522

Danu

H51 Shade D27

E27 40w



OL94523

Daria

H53 Shade D32

E27 40w



OL94524

Ridley

H42 Shade D28

E27 40w



OL94525

Hurley

H49 Shade D28

E27 40w



OL94526

Ariel

H44 Shade D30

E27 40w



OL94527

Kai

H30 Shade D21

E14 40w



OL94528

Douglas

H41 Shade D30

E27 40w



OL94539

Alder

H42 Shade D28

E27 40w

NEW



LAMPS | classic

OL97976AS

Dorne Antique Silver

H71 Shade D35

E27 60w



OL97976BK

Dorne Antique Black

H71 Shade D35

E27 60w



OL97973AS

Donati

H68 Shade D40

E27 60w



OL98850

Medea

H51 Shade D38

E27 60w



OL98856

Andorra

H55 Shade D33

E27 60w



OL98851

Palma

H55 Shade D33

E27 60w




OL98865

Leon

H56 Shade D33

E27 60w



OL98888

Granada

H66 Shade 38x23

E27 40w



Mirror
Backing



OL98836

Sedona

H65 Shade 38x25

E27 60w



LAMPS | contemporary

OL98875

Britt
H46 Shade D25
E27 42w



Glass
base



OL98832

Umbria
H57-69 Shade D33
E27 60w



Height
adjustable



OL98872

Loxton
H51 Shade D31
E27 42w



OL98891

Vinchy
H60 Shade D36
E27 40w

NEW



OL98874

Ware
H53 Shade D30
E27 42w



OL98873

Romsey
H63 Shade D35
E27 42w



OL93805AB

Kizz Antique Brass
H52 Shade 27x12
E27 40w



OL93805CH

Kizz Chrome
H52 Shade 27x12
E27 40w



OL93651AB

Milton
H44 D14
E27 42w



Marble
base



OL93611BK

Lucia Lamp Black

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611GY

Lucia Lamp Grey

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611PK

Lucia Lamp Pink

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL93611WH

Lucia Lamp White

H32.5 W19 SD16

E27 42w



Natural
timber
frame



OL90120BK

Zola Black

H41 D18

E27 60w



OL90120GY

Zola Grey

H41 D18

E27 60w



OL90120TP

Zola Taupe

H41 D18

E27 60w



OL90120WH

Zola White

H41 D18

E27 60w



OL97111BK

Hyzer Black

H26 D17

E27 40w




OL97111WH

Hyzer White

H26 D17

E27 40w



OL97317BK

Lace Lamp Black

H18 D18

E27 42w



OL97317WH

Lace Lamp White

H18 D18

E27 42w



LAMPS | bedside

OL90130BK

Tilda Black

H28 D18

E27 60w



OL90162BK

Lenny Black

H22 D13

E14 40w

NEW




OL90130GN

Tilda Green

H28 D18

E27 60w



OL90130GY

Tilda Grey

H28 D18

E27 60w



OL90162GN

Lenny Green

H22 D13

E14 40w

NEW



OL90162GY

Lenny Grey

H22 D13

E14 40w

NEW




OL90130PK

Tilda Pink

H28 D18

E27 60w



OL90130WH

Tilda White

H28 D18

E27 60w



OL90162PK

Lenny Pink

H22 D13

E14 40w

NEW



OL90162WH

Lenny White

H22 D13

E14 40w

NEW



LAMPS | economy ceramic

OL90117CO

Celia Coffee

H38 Shade D18

E14 40w



OL90117GN

Celia Green

H38 Shade D18

E14 40w



OL90115BK

Shelly Black

H45 Shade D20

E27 60w



OL90115WH

Shelly White

H45 Shade D20

E27 60w



OL90117GY

Celia Grey

H38 Shade D18

E14 40w



OL90117PK

Celia Pink

H38 Shade D18

E14 40w



OL90117WH

Celia White

H38 Shade D18

E14 40w



OL90117YE

Celia Yellow

H38 Shade D18

E14 40w



OL90110BL

Benjy.20 Blue

H38 Shade D19

E14 40w



OL90110GY

Benjy.20 Grey

H38 Shade D19

E14 40w



OL90110TP

Benjy.20 Taupe

H38 Shade D19

E14 40w



OL90110WH

Benjy.20 White

H38 Shade D19

E14 40w



OL90111BL

Benjy.25 Blue

H47 Shade D24

E27 60w



OL90111GY

Benjy.25 Grey

H47 Shade D24

E27 60w



OL90111TP

Benjy.25 Taupe

H47 Shade D24

E27 60w



OL90111WH

Benjy.25 White

H47 Shade D24

E27 60w



OL90153BK

Louise Black

H41 Shade 37x18

E27 60w



OL90153GY

Louise Grey

H41 Shade 37x18

E27 60w



OL90153WH

Louise White

H41 Shade 37x18

E27 60w



LAMPS | economy ceramic

OL90161BK

Jenny Black
H46 Shade D24
E27 60w

NEW



OL90161CO

Jenny Coffee
H46 Shade D24
E27 60w

NEW



OL90151CO

Moana Coffee
H45 Shade D24
E27 60w



OL90151GN

Moana Green
H45 Shade D24
E27 60w



OL90161GY

Jenny Grey
H46 Shade D24
E27 60w

NEW



OL90161GN

Jenny Green
H46 Shade D24
E27 60w

NEW



OL90151GY

Moana Grey
H45 Shade D24
E27 60w



OL90151PK

Moana Pink
H45 Shade D24
E27 60w



OL90161PK

Jenny Pink
H46 Shade D24
E27 60w

NEW



OL90161WH

Jenny White
H46 Shade D24
E27 60w

NEW



OL90151YE

Moana Yellow
H45 Shade D24
E27 60w



OL90151WH

Moana White
H45 Shade D24
E27 60w



LAMPS | economy ceramic

OL90118GY

Vera Grey
H26.5 Shade D13
E14 40w



OL90118TP

Vera Taupe
H26.5 Shade D13
E14 40w



OL90118WH

Vera White
H26.5 Shade D13
E14 40w



OL90119GY

Mandy Grey
H26.5 Shade D13
E14 40w



OL90119TP

Mandy Taupe
H26.5 Shade D13
E14 40w



OL90119WH

Mandy White
H26.5 Shade D13
E14 40w



OL90141

Diana Flower
H20 D9
E14 25w



OL90142

Diana Star & Moon
H20 D9
E14 25w




LAMPS | mid-century

OL93131BB

Lane Brushed Brass

H50 BD15

E27 42w



Teak
base



OL93131BK

Lane Black

H50 BD15

E27 42w



OL93131CO

Lane Copper finish

H50 BD15

E27 42w



OL93131WH

Lane White

H50 BD15

E27 42w



SL98799AB

Newton Antique Brass

H50

E14 28w



Clear
glass



SL98799BK

Newton Black

H50

E14 28w



Clear
glass



OL93731BK

Ville Table Lamp

H50 BD15

E27 42w



Marble
base



OL93733BK

Ville Floor Lamp

H157 BD25

E27 60w



Shown with
G125 LED
filament lamp
(available
separately)

OL90132BK

York Black

H38 Base D12

E27 60w



OL90132GY

York Grey

H38 Base D12

E27 60w




OL90132WH

York White

H38 Base D12

E27 60w



Marble
base



LAMPS | touch

LF9201AB

Lotti Touch

H27 D14

E14 42w



LF9205AB

Lola Touch

H33 D16.5

E14 42w



LF9207AB

Espen Touch

H28 D14

E14 42w



OL99511AB

Ruby Touch Antique Brass

H32 D22

E14 40w



Frost
Glass



LF9201BC

Lotti Touch

H27 D14

E14 42w



LF9205BCH

Lola Touch

H33 D16.5

E14 42w



LF9207BCH

Espen Touch

H28 D14

E14 42w



OL99511BC

Ruby Touch Brushed Chrome

H32 D22

E14 40w



Frost
Glass



LF9201GM

Lotti Touch

H27 D14

E14 42w



LF9205GM

Lola Touch

H33 D16.5

E14 42w



LF9207GM

Espen Touch

H28 D14

E14 42w



OL99511GM

Ruby Touch Gunmetal

H32 D22

E14 40w



Frost
Glass



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

OL99467BK

Lancet Touch
H40 SD15
E14 42w



OL99467GY

Lancet Touch
H40 SD15
E14 42w



OL99467PK

Lancet Touch
H40 SD15
E14 42w



OL99467WH

Lancet Touch
H40 SD15
E14 42w



OL99469BK

Mantel Touch
H22 D12
E14 42w



OL99469GY

Mantel Touch
H22 D12
E14 42w



OL99469PK

Mantel Touch
H22 D12
E14 42w



OL99469WH

Mantel Touch
H22 D12
E14 42w



OL99491AB

Erik LED Touch
H33 D15
Built-in LED



OL99491BC

Erik LED Touch
H33 D15
Built-in LED



OL99485BC

Pablo Touch
H25 D12
E14 40w



OL99486BC

Paro Touch
H31 12x12
E14 40w



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

These lamps are LED and feature a 3 stage or variable touch dimming switch.



LAMPS | touch

OL99458BP

Bankers Touch Brass

H40 W27

E27 40w



OL99458CH

Bankers Touch Chrome

H40 W27

E27 40w



OL99458AB

Bankers Touch Antique

H40 W27

E27 40w



OL99458BK

Bankers Touch Black

H40 W27

E27 40w



OL99480BC

Pepe Touch Round

H30 D10

E14 40w



OL99481BC

Pepe Touch Square

H30 W11x11

E14 40w



OL99454AB

Zoe Touch

H41 Shade D28

B22 42w



OL99454BC

Zoe Touch

H41 Shade D28

B22 42w



OL93125BK

Pod Touch Black

H45 D20

E27 40w



OL93125WH

Pod Touch White

H45 D20

E27 40w



OL92651BK

Mindy LED Desk Lamp

H38 D11

LED 3W Integral
Touch Dimmer



Rechargeable
battery powered
touch dimming
lamp supplied
with USB cable.
(Adapter required)



colour
temperature
3000K



OL92651WH

Mindy LED Desk Lamp

H38 D11

LED 3W Integral
Touch Dimmer



Rechargeable
battery powered
touch dimming
lamp supplied
with USB cable.
(Adapter required)



colour
temperature
3000K



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

These lamps are LED and feature a 3 stage or variable touch dimming switch.



LAMPS | bases

OL91238BCH

Spoke 35 Brushed Chrome
H35 D16
E27 60w



OL91238BK

Spoke 35 Black
H35 D16
E27 60w



OL91238CH

Spoke 35 Chrome
H35 D16
E27 60w



OL91238WH

Spoke 35 White
H35 D16
E27 60w



OL97951WN

Barton Base
H36 D11
E27 60w



OL97951WH

Barton Base
H36 D11
E27 60w



OL97962WH

Rosalie 27 Base
H28 D12
B22 60w



OL97964WH

Rosalie 46 Base
H46 D16
B22 60w



OL97934WN

Habitat Table Lamp Base
H48 Base 22.5x18
E27 60w



SL91311BK

Kingston Table Lamp Base
H37 BD18 Projection 35
E27 42w



SL91311ORB

Kingston Table Lamp Base
H37 BD18 Projection 35
E27 42w



LAMPS | floor lamps

OL97997WN

Trevi Base Walnut
with black metalware

Height Adjustable
Max H123 W70
Min H80 W48

E27 42w



OL81158

Trevi + Black Shade

Shade T34 B43 H27

E27 42w



OL81159

Trevi + Grey Shade

Shade T34 B43 H27

E27 42w



OL81160

Trevi + White Shade

Shade T34 B43 H27

E27 42w



OL91232BK

Spoke
Floor Lamp
Black

H145 D25

E27 60w



OL91232WH

Spoke
Floor Lamp
White

H145 D25

E27 60w



OL91232BC

Spoke
Floor Lamp
Brushed Chrome

H145 D25

E27 60w



OL91232BC

Spoke base

shown with

OL91956

17" Black Cotton
Shade

T34 B43 H27



OL93283NAT

Stabb Floor Lamp Base
NEW KD Version

H138 BD38

E27 60w

NEW



OL81162

Stabb Base + Black Shade

Shade T34 B43 H27



OL81164

Stabb Base + Grey Shade

Shade T34 B43 H27



OL81161

Stabb Base + White Shade

Shade T34 B43 H27




OL93773BK

Jess Floor Lamp

H160 BD25

E27 40w




OL93773WH

Jess Floor Lamp

H160 BD25

E27 40w



OL81411

Jess Lamp + Batur Shade

H160 BD25

Shade D36 H31

E27 40w



OL81412

Jess Lamp + Batur Shade

H160 BD25

Shade D36 H31

E27 40w



LAMPS | designer sets

OL93531BK

Edra Table Lamp

H54 Shade D28

E27 42w



OL93531WH

Edra Table Lamp

H54 Shade D28

E27 42w



OL93521WH

Lund Table Lamp

H54 Shade D27

E27 40w



OL93533BK

Edra Floor Lamp

H150 Shade D45

E27 42w



OL93533WH

Edra Floor Lamp

H150 Shade D45

E27 42w



OL93523WH

Lund Floor Lamp

H159 D50 Shade D42

E27 42w



OL97611

Riata Base
H38 Base D26
E27 60w



OL97612

Lariat Base
H39 Base D20
E27 60w



OL97613

Halyard Base
H57 Base 16x16
E27 60w



OL93245

Matram Floor
H100 D25
E27 42w



OL93255

Jambi Floor
H110 W23 x 23
E27 42w



SL98853WH

Belize Floor
H152 D35 BD23
E27 10w

NEW



OL97831

Mandalay Table
H36 D20
E27 42w



SL98851WH

Belize Table
H49 WD5 BD15
E14 6w

NEW



LAMPS | task

SL98841WH

Malta Desk Lamp

H47 BD15

E14 6w

NEW

Rattan
cane
shade



OL93991BK

George Desk Lamp

H48 BD18

E14 40w

NEW

Antique
Brass



OL93981

Charlotte Desk Lamp

H50 BD15

E27 40w

NEW

Frosted
glass
shade

Satin
Brass
arm with
Marble
base



OL91203CH

Bobo Chrome

H140 BD30 SD15

E14 40w x 2



OL91203GM

Bobo Gunmetal

H140 BD30 SD15

E14 40w x 2



OL91203BZ

Bobo Bronze

H140 BD30 SD15

E14 40w x 2



LAMPS | task floor

SL98599AB

Siena LED

H180 D31 P40

Uplighter - Integral LED 1600lm
Task Light - Integral LED 400lm

LED



SL98599BC

Siena LED

H180 D31 P40

Uplighter - Integral LED 1600lm
Task Light - Integral LED 400lm

LED



SL98599BK

Siena LED

H180 D31 P40

Uplighter - Integral LED 1600lm
Task Light - Integral LED 400lm

LED



The Siena has individually switched uplighter and task light




SL98592AB

Daxam LED
Antique Brass


H159 BD25

GU10 LED x 2
(included)

LED



The Daxam features individually switched heads.



SL98592BC

Daxam LED
Brushed Chrome

H159 BD25

GU10 LED x 2
(included)

LED



SL98592BK

Daxam LED
Matt Black

H159 BD25

GU10 LED x 2
(included)

LED



SL98592WH

Daxam LED
White

H159 BD25

GU10 LED x 2
(included)

LED



SL91207BK

Over Floor Lamp Black

H195 P120 BD32 SD30

E27 42w

The Over features a clear acrylic shade on an adjustable knuckle joint.

Shown here with G125 opal matt LED lamp.



SL91207AB

Over Floor Lamp

Antique Brass

H195 P120 BD32 SD30

E27 42w



SL91201BK

Dome Floor Lamp

H170 P95 BD32

Shade D30

E27 60w



SL91201CH

Dome Floor Lamp

H170 P95 BD32

Shade D30

E27 60w



SL91201AB





Dome Floor Lamp

H170 P95 BD32

Shade D30

E27 60w





LAMPS | task floor

SL98833AB

Perfo Floor Lamp

H155 BD22 P33

E27 42w



SL98843WH

Malta Floor Lamp

H155 BD25

E14 6w x 2



NEW

Rattan
cane
shades




OL93933BK

Thor Floor Lamp

H146 BD23 P36

E27 42w




OL93933WH

Thor Floor Lamp

H146 BD23 P36

E27 42w



OL93953BK

Lago Floor Lamp

H152 BD25 P80

E27 42w



↑ white
inside



OL93953WH

Lago Floor Lamp

H152 BD25 P80

E27 42w



SL98585BK

Carmen Mother + Child


H163 SD35 BD25

Main Light
B22/60W


Task Light
GU10 LED (included)



The Carmen task
lamp is supplied
with a replaceable
GU10 LED lamp.



The Carmen lamp is
supplied complete with
a fabric shade and has
a switched lampholder.



LAMPS | task desk

SL98533BC

Charlie Desk Lamp

H49 BD18 P42

GU10 LED (Included)



LED



The Charlie features switch on the head.

OL93921BC

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED

LED



Switch on the base

colour temperature
4000K

OL93921BK

Timo LED Desk Lamp

H45 BD14 P19

Integral 5W LED

LED



Switch on the base

colour temperature
4000K

SL98533SB

Charlie Desk Lamp

H49 BD18 P42

GU10 LED (Included)



LED



SL98751BC

Nex LED Touch

H38 BD11 P20

GU10 LED (included)

LED



SL98751GM

Nex LED Touch

H38 BD11 P20

GU10 LED (included)

LED



SL92997WH

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED



SL92997GM

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED



SL92997BK

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED



SL92997BC

Scoot LED Desk Lamp

H35 BD12 P17

GU10 LED
(Included)

LED



LAMPS | task desk

OL92961BK

Forma Desk Lamp

H84 BD21 P40

E27 60w

↑ white inside



OL92961SIL

Forma Desk Lamp

H84 BD21 P40

E27 60w



OL92961WH

Forma Desk Lamp

H84 BD21 P40

E27 60w

Forma switch is on the head.



OL93971BK

Benny Desk Lamp

H42 BD15 P30

E27 40W

↑ white inside

Real Timber



OL93971WH

Benny Desk Lamp

H42 BD15 P30

E27 40W

Real Timber



SL98831AB

Perfo Desk Lamp

H50 BD16 P28

E27 42w



OL92631BK

Luke LED Desk Lamp

H55 P50 Base 19x12

LED 5w Integral
Touch Dimmer | Touch CCT

LED



OL92631WH

Luke LED Desk Lamp

H55 P50 Base 19x12

LED 5w Integral
Touch Dimmer | Touch CCT

LED



LAMPS | task desk

SL98401GM

Trax Desk Lamp

H38 BD16

E27 60w



Switch on
the base



SL98401AB

Trax Desk Lamp

H38 BD16

E27 60w



OL92661BK

Macca LED Desk Lamp

H38 BD13

Integral 4.5W LED



Switch on
the head

LED

NEW

colour
temperature
4000K

OL92661WH

Macca LED Desk Lamp

H38 BD13

Integral 4.5W LED



Switch on
the head

LED

NEW

colour
temperature
4000K

SL98401WH

Trax Desk Lamp

H38 BD16

E27 60w



SL98401BK

Trax Desk Lamp

H38 BD16

E27 60w



SL98401BC

Trax Desk Lamp

H38 BD16

E27 60w



SL98431BK

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431WH

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431AB

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



SL98431BC

Scope Clamp Lamp

L50 SD6

GU10 LED 7w



LAMPS | task + USB

OL93721BK

Henk Desk Lamp

H46 BD18 SD14

E14 18w

Fixed
Head

↑ white
inside

Black cloth
covered
cord.



OL93721WH

Henk Desk Lamp

H46 BD18 SD14

E14 18w

Fixed
Head

White cloth
covered
cord.



OL93931BK

Thor Desk Lamp

H46 BD15 P30

E27 42w

↑ white
inside



OL93931WH

Thor Desk Lamp

H46 BD15 P30

E27 42w



These lamps
feature a
switch on
the base.



USB Socket



Wireless
Charging



Charge your
phone or tablet
(cable not included)

OL93952BK

Targa Desk Lamp

H54 BD18 P35

E27 42w

↑ white
inside



OL93952WH

Targa Desk Lamp

H54 BD18 P35

E27 42w




OL93911BK

Rik Desk Lamp

H52 BD15 P30





E27 42w





The Ari features
switch on the head.

Head Dimensions
Table Lamp L18 D12
Single Floor Lamp L22 D15
Twin Floor Lamp L18 D12



LAMPS | mid-century

OL99441AB

Bankers Lamp Antique

H40 W27

E27 60w



OL99441BP

Bankers Lamp Brass Plate

H40 W27

E27 60w



OL99441BK

Bankers Lamp Black

H40 W27

E27 60w



SL98511RB

Boston Table Lamp

H53 BD16 P37

E27 42w



↑ same inside

Adjustable Head

Shown with a vintage filament bulb.



OL98884

Windsor Floor Lamp

H160

Shade D42

E27 42w



Oil Rubbed Bronze finish (RB)

Supplied complete with linen shade

Height adjustable 1400-1600



OL99443AB

Bankers Floor Lamp

H146 W27

E27 40w



SL98513RB

Boston Floor Lamp

H160 P60 BD27

E27 42w



↑ same inside

Adjustable Head

Boston floor lamp shown with vintage filament bulb.



SL93311BK

Arlington Table Lamp

H53 P22 Base D15

E27 20w



SL93401BK

Raymont Table Lamp

H45 P17.5 Base D12

E27 20w



OL97742BK

Merton

H43 Shade D28

E27 60w

NEW



SL93313BK

Arlington Floor Lamp

H160 P33 Base D25

E27 20w



SL93403BK

Raymont Floor Lamp

H150 P27.5 Base D23

E27 20w




OL93755BK

Padstow

H164 Shade D42

E27 42w

NEW



PENDANTS | designer LED


OL60973/50BK

Noodle 50

D50 S150

28w | CTS | 2300lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



LED

NEW



colour rendition
>Ra83




OL60973/70BK

Noodle 70

D70 S150

42w | CTS | 3200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



LED

NEW



colour rendition
>Ra83



OL60973/50WH

Noodle 50

D50 S150

28w | CTS | 2300lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



LED

NEW



colour rendition
>Ra83



OL60973/70WH

Noodle 70

D70 S150

42w | CTS | 3200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



LED

NEW



colour rendition
>Ra83



OL60614/40BK

Nebula.40 CTS

D40 S150

18w | CTS | 900lm

LED

NEW



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



OL60614/60BK

Nebula.60 CTS

D60 S150

24w | CTS | 1200lm

LED

NEW



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



OL60614/40WH

Nebula.40 CTS

D40 S150

18w | CTS | 900lm

LED

NEW



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



OL60614/60WH


Nebula.60 CTS

D60 S150

24w | CTS | 1200lm

LED

NEW



The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour rendition
>Ra83



OL60634/60BK

Cronus.60 CTS


D60 S150

24w | CTS | 1200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

LED

NEW



colour rendition
>Ra83



OL60954/80BK

Infinity LED

D70 S150

50w | 4000K | 3000lm

LED



colour temperature
4000K

colour rendition
>Ra80



OL60634/60WH

Cronus.60 CTS


D60 S150

24w | CTS | 1200lm

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

LED

NEW



colour rendition
>Ra83



OL60954/80WH

Infinity LED

D70 S150

50w | 4000K | 3000lm

LED



colour temperature
4000K

colour rendition
>Ra80



OL60451/42BK

Madison.42 LED

D42 H6.5 S180

24w | CTS | 1500lm

LED

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



colour rendition
>Ra82



OL60451/42WH

Madison.42 LED

D42 H6.5 S180

24w | CTS | 1500lm

LED

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



colour rendition
>Ra82



OL60451/56BK

Madison.56 LED

D56 H6.5 S180

36w | CTS | 2000lm

LED

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



colour rendition
>Ra82



OL60451/56WH

Madison.56 LED

D56 H6.5 S180

36w | CTS | 2000lm

LED

The driver is mounted inside the ceiling canopy. CTS (Colour Temperature Selection) is made inside the shade at installation.



colour rendition
>Ra82



OL60851/60BK

Saturn LED

D60 H2.5 S180

24w | CTS | 1375lm



The driver is mounted in the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



colour
rendition
>Ra83



OL60851/60WH

Saturn LED

D60 H2.5 S180

24w | CTS | 1375lm



The driver is mounted in the ceiling canopy. CTS (Colour Temperature Selection) is made at installation.




colour
rendition
>Ra83



Aeon.120

The Aeon pendant is crafted from aluminium, twisted with LED edging. The LED is covered with an opal diffuser, the fitting suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60980/120BK

Aeon CTS LED Pendant

L120 S180

CTS | >Ra82 | 29w | 1500lm




colour
rendition
>Ra82



Edge.1500

Edge.1500 LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the end placed ceiling canopy.



colour
rendition
>Ra82

colour
temperature
4000K

OL60761/1500BK


Edge LED Pendant

L156 Dia3 S180

4000K | >Ra82 | 1500lm


Vana.LED

LED



Vana.LED extruded aluminium LED fitting with opal diffuser, available as a surface mounted fitting in 2 lengths, 1200mm and 1500mm.

CTS (Colour Temperature Selection) is made inside the fitting at installation.



Vana.LED can be converted to a suspended fitting using the Suspension Kit OL60775WH (available separately).



OL60775WH Suspension Kit Chrome Wires, White cable+canopy
S200 Canopy D10

OL60778/1200BK	Vana.LED CTS 1200 Black	L123 W11 P4	40w CTS >Ra82 2800lm*
OL60778/1200WH	Vana.LED CTS 1200 White	L123 W11 P4	40w CTS >Ra82 2800lm*
OL60778/1500BK	Vana.LED CTS 1500 Black	L153 W11 P4	50w CTS >Ra82 3300lm*
OL60778/1500WH	Vana.LED CTS 1500 White	L153 W11 P4	50w CTS >Ra82 3300lm*

*Average lumen output



colour
rendition
>Ra82





PENDANTS | linear LED


Shard.1500 CTS

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high



Shard.LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1500BK

Shard LED 30w Pendant Black

L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm



OL60625/1500WH

Shard LED 30w Pendant White



L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm


Shard.1800 CTS

LED

NEW



Slim profile
only 3 cm wide
and 2.8 cm high



Shard.1800 LED extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The driver is mounted in the end placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1800BK

Shard LED 34w Pendant Black

L180 H2.8 W3 S180

CTS | >Ra82 | >2000lm



OL60625/1800WH

Shard LED 34w Pendant White

L180 H2.8 W3 S180

CTS | >Ra82 | >2000lm

Langtoft.150

LED

NEW

LANGTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the steel ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60650/1500

Langtoft LED Pendant Ash Wood

L145 H9 S180

CTS | >Ra82 | 1700lm




Shard.1500 Satin Brass CTS

LED

NEW

Satin Brass Shard is supplied with both black and white end caps, allowing a styling choice at installation.

Slim profile only 3 cm wide and 2.8 cm high



Shard.LED SATIN BRASS is an electroplated extruded aluminium LED fitting with opal diffuser suspended on stainless wires. The SATIN BRASS model is supplied with both BLACK & WHITE end caps, allowing a styling choice at installation. The driver is mounted in the centrally placed ceiling canopy. CTS (Colour Temperature Selection) is made at installation.

OL60625/1500SB

Shard LED 30w Pendant Satin Brass

L150 H2.8 W3 S180

CTS | >Ra82 | >1800lm




PENDANTS | linear LED

Eastoft

LED

NEW

EASTOFT LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60630/1300

Eastoft LED Pendant Ash Wood

L130 S180

CTS | >Ra83 | 1800lm



Caber.120

LED

NEW

CABER LED pendant hand crafted from ASH wood. Suspended on stainless steel wires, the driver is mounted in the wooden ceiling canopy. CTS (Colour Temperature Selection) is made at installation.



OL60640/1200

Caber LED Pendant Ash Wood

L120 D3.5 S180

CTS | >Ra83 | 1600lm



PENDANTS | suspensions

OL69253BC

Parti Suspension
Brushed Chrome
Clear PVC Wire

L180 D10

E27 60w



OL69253WH

Parti Suspension
White Metalware
White PVC Wire

OL69253WC

Parti Suspension
White Metalware
Clear PVC Wire

OL69253BK

Parti Suspension
Black Metalware
Black PVC Wire

OL69251BC

Parti Rod
Suspension

L110 D12

E27 60w

The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

OL69254BK

Parti E14 Suspension

L180 D10

E14 40w



NEW

The PARTI E14 suspension has an E14 lampholder for shades with a 28mm shade ring.

OL69321AB

Albany Cord
Antique Brass

S180 D10

E27 60w



OL69321BK

Albany Cord
Black

OL69321CH

Albany Cord
Chrome

OL69321CO

Albany Cord
Ant Copper

OL69321WH

Albany Cord
White

The ALBANY suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

Albany cord and chain suspensions feature cloth covered cords.

OL69322BK

Albany Chain Black

S160 D11

E27 60w



OL69322AB

Albany Chain
Antique Brass

OL69259BK

Parti E27 Wood
Suspension

L180 D10

E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL69259WH

Parti E27 Wood
Suspension

L180 D10

E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL64495/38

Nile.38 Shade Only

D39 H29

E27 opening

NEW



OL64464

Poppa Shade Only

D36 H31

E27 opening

NEW



String
Shade



OL64463

Batur Shade Only

D36 H31

E27 opening

NEW




OL64457NAT

Serang.35 Shade Only

D35 H45

E27 opening

NEW



OL64457BK

Serang.35 Shade Only

D35 H45

E27 opening

NEW



Painted
Cane




OL64457WH

Serang.35 Shade Only

D35 H45

E27 opening

NEW



Painted
Cane



OL64489/30

Kupang.30 Shade Only

D30 H30

E27 opening

NEW



String
Shade



OL64489/45

Kupang.45 Shade Only

D45 H45

E27 opening

NEW



String
Shade



OL64501/38

Malaga.38 Shade Only

D38

E27 opening

NEW



Matt white frame with
natural wooden beads



The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

OL2245/30FX

Boheme.30 Shade Only

D30 H48

40w



Shade
frame clips
on cord
suspension.



Fabric
Shade

OL2245/45FX

Boheme.45 Shade Only

D45 H60

40w



Shade
frame clips
on cord
suspension.



Fabric
Shade

OL64455

Tanah Shade

D45 H55

E27 opening



OL64471/36

Koga.36 Shade

D36 H30

E27 opening



OL64471/48

Koga.48 Shade

D48 H40

E27 opening



OL64485/33

Padang 33 Shade

D33 H22

E27 opening



String
Shade



OL64485/45

Padang 45 Shade

D40 H33

E27 opening



String
Shade



The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

OL64469/35

Mette.35 Shade

D35 H29

E27 opening



OL64469/47

Mette.47 Shade

D47 H38

E27 opening



OL64475/30

Oden.30 Shade

D30 H45

E27 opening



OL64475/38

Oden.38 Shade

D30 H50

E27 opening



OL64479/36

Batu.36 Shade

D36 H30

E27 opening



OL64479/48

Batu.48 Shade

D48 H40

E27 opening



The natural appeal of these products are the natural materials and hand finishing, no two fittings are identical.

There may be variations in colours and finishes across the range and between shipments.

PENDANTS | designer suspensions

OL69281BK

Pop.2 Suspension

L240 D11.5

E27 60w



Black
cloth
covered
cord.



POP suspensions shown here
with a LED filament G125 globe.

OL69281WH

Pop.2 Suspension

L240 D11.5

E27 60w



White
cloth
covered
cord.





OL69351BK

Philly 10lt Pendant

Canopy D12 H4
Cords S180

E27 40w x 10



*The Philly is a 10 light
"swag" style pendant,
allowing you to fix each
light individually to
create a unique fitting.
Cord fixings included.*

*Shown here with
assorted LED opal
matt globes.*

OL69242BC

Drop Suspension

L180 D10

B22 60w



*The DROP
suspension has
a B22 lampholder
and is designed
for use with most
shades with a
B22 shade ring.*

OL69243BC

Shade 3 Light
suspension

BD12.5 D17 H65 S135

B22 60w x 3

*This 3 light shade
suspension is
designed to allow
the lamp shade
to be changed
without the need
for re-wiring.
Ideally suited
to a shade 12"
(300mm) diameter
or greater.*



OL69256BK

Parti Pan
3 Light accessory
Black

D25 H2.5



OL69256WH

Parti Pan
3 Light accessory
White

D25 H2.5



The Parti Pan can be used to
suspend multiple single pendants.

OL69257BK

Parti Pan
5 Light accessory
Black

D25 H2.5



OL69257WH

Parti Pan
5 Light accessory
White

D25 H2.5



The Parti Pan can be used to
suspend multiple single pendants.

OL69258WH

Parti Rail
3 Light accessory
White

L105 H2.5 W5.5



OL69258BK

Parti Rail
Black

The Parti Rail can be used to
suspend multiple single pendants.

PENDANTS | designer


OL65272/6

Hyort 6 Lt Pendant
KD Version

D65 H38 S120

E14 60w x 6

NEW



OL65273/2

Hyort 2 Lt Wall Light

H46 W43 P12

E14 60w x 2



OL65272/8

Hyort 8 Lt Pendant
KD Version

D100 H46 S120

E14 60w x 8

NEW



No deer were harmed
in the production of
the Hyort - the antlers
are poly-resin.

The Hyort 6lt & 8lt are
supplied unassembled.



OL68831BK


Alhambra 25

D25 H32 S150

E27 42w



Lit to show
gold painted
interior.



OL68832BK

Alhambra 35

D35 H52 S150

E27 42w



Lit to show
gold painted
interior.



OL68821AR

Istanbul

H42 D27 S180

E27 60w



PENDANTS | modern farmhouse



PENDANTS | modern farmhouse

OL64353/1NAT

Cascara Pendant

D33 H48 S150

E27 42w



OL64355/3NAT

Cascara Pendant

D50 H72 S150

E27 42w x 3



OL64356/3NAT

Cascara Close to Ceiling

D33 H27

E27 42w x 3



Matt white
frame with
natural
wooden
beads

OL64521BK

Mudag.20 Pendant

D19 S180

E27 42w



OL64523BK

Mudag.40 Pendant

D36 S180

E27 42w



OL64522BK

Mudag.30 Pendant

D30 S180

E27 42w



Hand crafted wire
mesh shade.
Black cloth covered cord.

OL64304

Bukit Pendant

D35 H35 S180

E27 40w



PENDANTS | modern farmhouse

OL67721BK

Trigo.20

D21 H21 S180

E27 60w



Black cloth covered cord.

Timber Body

↑ white inside



OL67721GN

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body

↑ white inside




OL67421WH

Plato Pendant

H38 D20 S160

E27 60w



↑ gold inside



OL67721GY

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body

↑ white inside



OL67721WH

Trigo.20

D21 H21 S180

E27 60w



White cloth covered cord.

Timber Body

↑ white inside



OL67421BK

Plato Pendant

H38 D20 S160

E27 60w



↑ gold inside



OL60175BK

Tig Pendant Black

D8 H30 S180

GU10 35w



Black cloth covered cord.



OL60175WH

Tig Pendant White

D8 H30 S180

GU10 35w



White cloth covered cord.



PENDANTS | modern farmhouse



PENDANTS | mid-century

OL67511BC

Como Single

D15 S150

E27 42w



Black metalware with brushed chrome highlights.

Black PVC cord



OL67513BC

Como 3 Light

SD15 L90 S150

E27 42w x 3



OL67511AB

Como Single

D15 S150

E27 42w



Black metalware with antique brass highlights.

Black PVC cord



OL67513AB

Como 3 Light

SD15 L90 S150

E27 42w x 3



OL67451BR

Chino 1

H40 D19 S180

E27 60w



Bronze hand painted finish, gold interior.

Clear PVC cord



SL64531BK

Geo 1lt

D40 H45 S180

E27 60w



SL64534BK

Geo 4lt

D55 H60 S200

E27 60w x 4



PENDANTS | mid-century

OL68750/1BK

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68752/5BK

Malo.60

D59 H45 S200

E27 42w x 5



Cloth covered cord



OL68750/1WH

Malo.35

D35 H26 S150

E27 42w



Cloth covered cord



OL68751/3BK

Malo.45

D45 H35 S150

E27 42w x 3



Cloth covered cord



OL67761AC

Lenox Pendant

D38 H39 S180

E27 60w



Antique copper with black cloth covered cord.



OL68852WH

Gabby

H44 D45 S180

B22 60w



Shown with G125 globe (not included)



OL68852BK

Gabby

H44 D45 S180

B22 60w



Shown with G125 globe (not included)




OL67761BK

Lenox Pendant

D38 H39 S180

E27 60w



Black cloth covered cord.



PENDANTS | designer

OL64130WH

Phase 30
D30 S180
E27 60w



The Phase sphere is rotation moulded acrylic, has a white canopy and cord.

OL64140WH

Phase 40
D40 S180
E27 75w



OL64150WH

Phase 50
D50 S180
E27 75w



OL67393WH

Chic 33
D30 S180
E27 60w



Clear cord.

Made from polypropylene.

OL67394WH

Chic 43
D40 S180
E27 60w



Clear cord.

OL60561WH

Cleo White
H30 D14 S180
E27 40w



handpainted glass



OL68783WH

Vicky 35
H30 D35 S75
E27 60w



OL68783BK

Vicky 35
H30 D35 S75
E27 60w



PENDANTS | designer

SL64425BB

Newton Pendant

D25 S150

E27 42w

Brushed brass,
black cloth
cov. cord with
clear glass.



Shown with a
filament globe
(not included)



SL64430BB

Newton Pendant

D30 S150

E27 42w



Clear
glass




SL64440BB

Newton Pendant

D40 S150

E27 42w



Clear
glass



SL64425BK

Newton Pendant

D25 S150

E27 42w

Satin black,
black cloth
cov. cord with
clear glass.



Shown with a
filament globe
(not included)



SL64430BK

Newton Pendant

D30 S150

E27 42w



Clear
glass



SL64440BK

Newton Pendant

D40 S150

E27 42w



Clear
glass



SL64451BB

Newton Wall Light

H28 P21 W18 BD12

E14 42w



Clear
glass



SL64451BK

Newton Wall Light

H28 P21 W18 BD12

E14 42w



Clear
glass



Shown with
filament globes
(not included)

PENDANTS | satellite

SL64407BK

Chelsea.120 6lt Black

H55 W120 S120

E27 42w x 6



Each arm on the Chelsea is adjustable.

Chelsea.120 is 1.2m Wide



Chelsea.120 shown with G125 Opal Matt globe. (not included)

SL64409BK

Epping 6lt Black

W120 x 75 Rod 100

E27 42w x 6



Cross arms on the Epping are adjustable.



Epping shown with G125 Opal Matt globe. (not included)

SL64412/4BK

Lunar 4lt Pendant

D80 H40-126

E27 42w x 4



Satin black with smoke glass balls



PENDANTS | satellite

SL64415/6BK

Ripley 6lt Pendant


D90 H110

Glass D18

E27 42w x 6



The arms on the Ripley pendant are adjustable at installation.



The Ripley is supplied with downrods allowing installation at 58 or 110cm.

Clear glass

SL64406BK

Chelsea 6lt Black

H55 W85 S180

E27 42w x 6



Shown with G95 globe (not included)



Each arm on the Chelsea is adjustable.

SL63206BK

Sputnik.6

D47 S180

E27 42w x 6



Shown with G125 matt opal bulbs

SL63210BK

Sputnik.10

D58 S180

E27 42w x 10




Shown with G125 matt opal bulbs

SL64680/6BK

Padua 6lt Pendant

W170 (max) H85 - 150
Glass D15

E27 42w x 6



Clear glass


Each joint in the Padua pendant is adjustable at installation. The final dimensions will vary depending on how the joints are set.

SL64680/6SB

Padua 6lt Pendant

W170 (max) H85 - 150
Glass D15

E27 42w x 6



Clear glass

The minimum height of the Padua is 85cm.

OL56093BK

Pano 3lt Pendant

D64 S150

GU10 35w x 3



GU10



Adjustable heads

OL56093BK

Pano 6lt Pendant

D84 S150

GU10 35w x 6



GU10



Adjustable heads

PENDANTS | spotlight

OL56013/4BK

Bridge 4lt Pendant

W90 Head 6x9 S180

GU10 35w x 4



GU10

Adjustable heads

NEW

Bridge GU10 pendant .

Black PVC wire.

OL56013/4SB

Bridge 4lt Pendant

W90 Head 6x9 S180

GU10 35w x 4



GU10

Adjustable heads

NEW

Bridge GU10 pendant - black frame with Satin Brass heads.

Black PVC wire.

OL56013/6BK

Bridge 6lt Pendant

W90 Head 6x9 S180

GU10 35w x 6



GU10

Adjustable heads

NEW

Bridge GU10 pendant .

Black PVC wire.

OL56013/6SB

Bridge 6lt Pendant

W90 Head 6x9 S180

GU10 35w x 6



GU10

Adjustable heads

NEW

Bridge GU10 pendant - black frame with Satin Brass heads.

Black PVC wire.

OL56215/4SB

Norbert 4lt Rail

W95 S180

E27 60w x 4



Adjustable heads

NEW

Norbert pendant black frame with Satin Brass highlights.

Black PVC wire.

OL56216/6SB

Norbert 6lt Round

D87 S180

E27 60w x 6



Adjustable heads

NEW

Norbert pendant black frame with Satin Brass highlights.

Black PVC wire.

PENDANTS | mid-century

SL66901BK

Southport.30

30x30 H35 S62

E27 42w



The SL66901 canopy is tilt adjustable.



SL66901BC

Southport.30

30x30 H35 S62

E27 42w



No glass

SL66906BK

Southport.100

29x100 H29 S61

E27 42w x 6



All Southport pendants have rod suspensions. Included are 2 x 23cm lengths and 1 x 13cm length.



No glass

SL66906BC

Southport.100

29x100 H29 S61

E27 42w x 6



No glass

SL66904BK

Southport.48

48x48 H30 S62

E27 42w x 4



No glass

SL66904BC

Southport.48

48x48 H30 S62

E27 42w x 4



No glass

PENDANTS | mid-century

SL64901BK

Eaton.17 Pendant

H34 17x17

E27 60w

The canopy is
tilt adjustable.



Clear
glass



SL64902BK

Eaton.30 Pendant

H39 30x30

E27 60w

The canopy is
tilt adjustable.



Clear
glass



SL64924BK

Hampton Pendant

H55 45x45 S180

E27 42w x 4



No
Glass



SL64903BK

Eaton.70 Pendant

H35 70x30

E27 42w x 3

Eaton rod
suspensions
supplied in 13 +
23cm lengths.



Clear
glass



SL64904BK

Eaton.100 Pendant

H35 100x30

E27 42w x 4

Eaton rod
suspensions
supplied in 13 +
23cm lengths.



Clear
glass



SL64906BK

Eaton Wall Light

H25 W17 P14

E27 42w



Shown with
LED filament
globe.



SL65115

Island

L100 W30 S120

E27 40w x 5



Distressed
timber frame



PENDANTS | mid-century statement pieces

OL65621BK

Weston 3lt
D24 H28 S180
E14 40w x 3

NEW



Clear
Glass

OL65623BK

Newham 3lt
D35 H40 S180
E14 40w x 3

NEW



Clear
Glass

OL65625BK

Langdon 4lt
42X42 H60 S180
E14 40w x 4

NEW



No
Glass

OL63744BK

Wainscott.4
L85 W30 S180
E27 60w x 4

NEW



PVC Cord
Suspension



No
Glass

OL63744SB

Wainscott.4
L85 W30 S180
E27 60w x 4

NEW



PVC Cord
Suspension

Satin
Brass



No
Glass

PENDANTS | traditional

OL65963BZ

Gaston 3lt Bronze

H51 D41 S90

E27 60W x 3

NEW

The updated Gaston suite has a painted Bronze finish, with frosted glass.



OL65321/3BK

Rochester 3 Light

H53 D55 S190

E27 40W x 3

NEW



OL65321/3AB

Rochester 3 Light

H53 D55 S190

E27 40W x 3

NEW



OL65951BZ

Gaston 1lt Bronze

H35 D30 S90

E27 60W

NEW



OL65321/5BK

Rochester 5 Light

H55 D63 S190

E27 40W x 5

NEW



OL65321/5AB

Rochester 5 Light

H55 D63 S190

E27 40W x 5

NEW



OL65933BZ

Gaston 3lt CTC

H37 D41

E27 60W x 3

NEW



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



OL65321/1AB

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



PENDANTS | mid-century

SL63511CL

Marconi.18

D18 S120

E27 25w



NEW



Clear
glass

SL63512CL

Marconi.25

D25 S120

E27 25w



NEW



SL63523CL

Marconi Trilight

D18 L90 S120

E27 25w x 3



NEW



SL63711CL

Legarno.25

D25 S110

E27 25w



NEW



Clear
glass

SL63712CL

Legarno.30

D30 S110

E27 25w



NEW



SL63723CL

Legarno Trilight

D20 L90 S120

E27 25w x 3



NEW



OL63705/13CL

Miller.130

D13 S180

E27 40w



Clear
Ribbed
Glass

OL63705/20CL

Miller.200

D20 S180

E27 40w



OL63705/30CL

Miller.300

D30 S180

E27 40w



PENDANTS | mid-century

SL63871CL

Twist.20

D20 S150

E27 25w



Satin
brass
metal
ware

Clear optic
swirl glass



SL63825CL

Reno.5

D35 S150

E14 25w x 5



Clear glass
2 x 12cm
3 x 15cm



NEW



SL63401BK

Raymont

H19 D13 S160

E27 25w



SL63403BK


Raymont Trilight

D30 S150

E27 25w x 3



Obscure
water
weave
clear glass



OL63611BK

Auburn.1

D14 S180

E27 42w



Clear
glass



OL63612BK

Auburn.2

D15 S180

E27 42w



Clear
glass



OL63613BK

Auburn.3

D15 S180


E27 42w



Clear
glass



PENDANTS | mid-century



PENDANTS | mid-century

SL64730WH

Forge.300
D30 H16 S180
E27 60w



Complete pendant.

↑ white inside

SL64730BK

Forge.300
D30 H16 S180
E27 60w



↑ white inside

SL64743WH

Forge.430
D43 H22 S180
E27 60w



↑ white inside

SL64743BK

Forge.430
D43 H22 S180
E27 60w



↑ white inside

OL65401BK

Cottage
D37 H45 S180
E27 60w



↑ white inside

OL63251BK

Chester.18
H30 D18 S180
E27 60w



Cloth covered cord

OL63252BK

Chester.36
H21 D36 S180
E27 60w



Cloth covered cord

OL69265/27BK

Bay.27
D27 H39 S180
E27 42w



↑ white inside

OL2250MO

Toledo Matt Opal Glass Shade
D35 H19
E27 opening (gallery included)

with OL69321BK

Albany Cord Black



PENDANTS | mix + match suspensions

OL69253BC
Parti Suspension
Brushed Chrome
Clear PVC Wire
L180 D10
E27 60w



OL69253WH
Parti Suspension
White Metalware
White PVC Wire

OL69253WC
Parti Suspension
White Metalware
Clear PVC Wire

OL69253BK
Parti Suspension
Black Metalware
Black PVC Wire

OL69251BC
Parti Rod
Suspension
L110 D12
E27 60w

The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

OL69254BK
Parti E14 Suspension
L180 D10
E14 40w



NEW

The PARTI E14 suspension has an E14 lampholder for shades with a 28mm shade ring.

OL69321AB
Albany Cord
Antique Brass
S180 D10
E27 60w



OL69321BK
Albany Cord
Black

OL69321CH
Albany Cord
Chrome

The ALBANY suspensions have an E27 lampholder and are designed for use with most shades with an E27 (43mm) shade ring.

Albany cord and chain suspensions feature cloth covered cords.

OL69321CO
Albany Cord
Ant Copper

OL69321WH
Albany Cord
White

OL69322BK
Albany Chain Black
S160 D11
E27 60w



OL69322AB
Albany Chain
Antique Brass

OL69259BK
Parti E27 Wood
Suspension
L180 D10
E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

OL69259WH
Parti E27 Wood
Suspension
L180 D10
E27 60w



NEW

The PARTI E27 wood suspension features a real wood canopy and lampholder cover.

SL65011BK

Rope Suspension

S120 D12

E27 40w



SL65012BK

Rope Suspension

S200 D12

E27 40w



SL65013BK

Rope 3lt Suspension

W110 S250

E27 40w x 3



1m Chain
suspension +
each rope 1.4m.

Shown with
LED ST64 loop
filament lamps.



SL65011BK
Rope suspension
Shown with
G125 LED
filament lamp.

Rope 3 light
suspension
Shown with
Yard 35cm
shades.

OL2299/18BK

Cage.18

D15 H18

E27 opening



OL2299/14BK

Cage.14

D14 H18

E27 opening



SL65012BK
Rope suspension
Shown with
OL2298/38WH
shade.

MID-CENTURY | mix + match

OL2295/35BK

Yard.35 Shade

D35 H26

E27 opening



↑ white inside

OL2295/35WH

Yard.35 Shade

D35 H26

E27 opening



↑ white inside

OL2285/25BK

Dawson.25 Shade

D25 H23

E27 opening



NEW

↑ white inside

OL2285/25WH

Dawson.25 Shade

D25 H23

E27 opening



NEW

↑ white inside

OL2295/47BK

Yard.47 Shade

D47 H36

E27 opening



↑ white inside

OL2295/47WH

Yard.47 Shade

D47 H36

E27 opening



↑ white inside

OL69253BK with OL2260/39BK

Parti Suspension +
Warehouser.39 Shade

D39 H20 S180

E27 60w



OL2260/27BK

Warehouser.27 Shade

D27 H12.5

E27 opening



↑ white inside

NEW

OL2260/31BK

Warehouser.31 Shade

D31 H16

E27 opening



↑ white inside

NEW

OL2260/39BK

Warehouser.39 Shade

D39 H20

E27 opening



↑ white inside

OL2260/27WH

Warehouser.27 Shade

D27 H12.5

E27 opening



↑ white inside

NEW

OL2260/31WH

Warehouser.31 Shade

D31 H16

E27 opening



↑ white inside

NEW

OL2260/39WH

Warehouser.39 Shade

D39 H20

E27 opening



↑ white inside

MID-CENTURY | mix + match

OL2255/15CL

Maison.15 Clear Glass Shade

D15 H12

E27 opening



OL2255/15BL

Maison.15 Blue Glass Shade

D15 H12

E27 opening



OL2255/15AM

Maison.15 Amber Glass Shade

D15 H12

E27 opening



Maison, Toledo and Slater shades shown on Albany cord suspensions.

OL2270/30BK


Victoriana.30 Shade

D30 H12

E27 opening



↑ white inside



OL2270/30WH

Victoriana.30 Shade

D30 H12

E27 opening



↑ white inside



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE

Adapter Ring
E27 > B22

OL2298/38BK

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2298/38WH

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2250CL

Toledo Clear Glass Shade

D35 H19

E27 opening (gallery included)



OL2298/38CO

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2298/38RU

Slater.38 Shade

D38 H16

E27 opening



↑ white inside



OL2250MO

Toledo Matt Opal Glass Shade

D35 H19

E27 opening (gallery included)



DO-IT-YOUR-SELF



OL2210/15

Phil Small
H10.5 D15.5



Opal Matt
Glass



OL2210/22

Phil Large
H16 D22.5



Opal Matt
Glass



OL2100/15WH

Jetball 15cm
D15



OL2100/15BK

Jetball 15cm
D15



OL2461BK

Tommy
H19.5 D23



Metal
Shade



OL2461WH

Tommy
H19.5 D23



Metal
Shade



OL2465BK

Burton
H20 D17



Clear
Glass



OL2465BR

Burton
H20 D17





Clear
Glass



OL2240

Vamp AB+BC
H16 D30
(Includes antique brass
& brushed chrome
metalware)
Alabaster finish
glass.



OL2243

Pana AB+BC
H16 D31
(Includes antique brass
& brushed chrome
metalware)
Alabaster finish
glass.



OL2420

Nina DIY
H20 D10



Opal Matt
Glass




DO-IT-YOUR-SELF



OL64471/25

Kogo.25 DIY
H25 D20



OL2593BK

Kono 25 DIY Black
D25



OL2593WH

Kono 25 DIY White
D25



OL2567CH

Bling DIY
H22 D19



OL2545BK

Stave
H21 D18


NEW



OL2545WH

Stave
H21 D18

NEW



OL2546BK

Malo.25 DIY
H20.5 D25

NEW



OL2546WH

Malo.25 DIY
H20.5 D25


NEW



OL2547BK

Tellis.18
H21 D18


NEW



OL2547WH

Tellis.18
H21 D18


NEW



OL2580BB

Piato
H7 D22

NEW



OL2580BK

Piato
H7 D22



OL2580WH

Piato
H7 D22





PEG DIY cord sets

OL2010/30BC L40

OL2010/30BK L40

OL2010/30WH L40

OL2010/50BK L60

OL2010/50WH L60

OL2010/100BK L110

OL2010/100WH L110



OL2265BK

Vicky DIY
H20 D25



↑ black inside



OL2265WH

Vicky DIY
H20 D25



↑ white inside



OL2265CO




Vicky DIY
H20 D25



↑ copper inside



Various Batten-fix (DIY) Assembly Types




OL2542BK

Maci.18 DIY
H21 D20



OL2542WH

Maci.18 DIY
H21 D20



OL2543BK

Eve.18 DIY
H21 D19



OL2543WH

Eve.18 DIY
H21 D19



WALL LIGHTS

OL54310BK

Lane Wall Light
H23 P17 BD10
E27 60w



Wood
Backplate



OL54310SB

Lane Wall Light
H23 P17 BD10
E27 60w



Wood
Backplate



OL54310WH

Lane Wall Light
H23 P17 BD10
E27 60w



Wood
Backplate



OL55211BK

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w

Switch
on the
backplate



OL55211WH

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w

Switch
on the
backplate



OL51121WH

Nimmo Wall Light
W27 H9 P5.5
LED 8w | CTS 3000/4000/5000K



Tilt
adjustable



OL52103BK

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K



Switch +
USB outlet
on the
backplate




colour
temperature
4000K

OL52103WH

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K



Switch +
USB outlet
on the
backplate



colour
temperature
4000K

OL53101

Vidar Wall Light
W13 P10 H8
LED 8w | 4000K



Solid
Timber

colour
temperature
4000K

WALL LIGHTS


OL41340BCH

Remo Wall
W30 H15 P10
E27 60w



OL41340GD

Remo Wall
W30 H15 P10
E27 60w



OL41340WH

Remo Wall
W30 H15 P10
E27 60w



OL59079CH

Nova
H30 W12 P11
E27 60w



OL53512

Lia Wall Light
W30 H14 P10
E14 40w



Paintable
plaster up-down
wall washer



OL44331CH

Claw Wall
W30 H15 P9
E27 60w




OL59407

Elba
W28 H23 P11
E27 60w



OL57117CH

Duo.2
W21 H18 P7
E14 40w



OL69217/1BC

Zest Wall
H26 W12 P16
E27 60w



WALL LIGHTS

OL69385AB

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69385BK

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69385CH

Abby Wall Light

P34 H28

E27 60w

NEW



Clear
Glass



OL69371AM

Brighton Wall Light

P20 H23

E27 60w



OL69371BL

Brighton Wall Light

P20 H23

E27 60w



OL69371CL

Brighton Wall Light

P20 H23

E27 60w



OL69381BK

Warwick Wall Light

P31 H27

E27 60w



Clear
Glass



OL69387BK

Kilcoy Wall Light

P18 H25

E27 60w

NEW



Clear
Glass



OL69387WH

Kilcoy Wall Light

P18 H25

E27 60w

NEW



Clear
Glass



WALL LIGHTS

SL63731OM

Legarno Wall Light

P29 H34 D20

E27 25w

NEW



Opal
Matt
Glass



SL63731CL

Legarno Wall Light

P29 H34 D20

E27 25w

NEW



Clear
Glass



SL63831CL

Reno Wall Light

P17.5 H19 D15

E14 25w

NEW



Clear
Glass



SL63531OM

Marconi Wall Light

P28 H32 D18

E27 25w

NEW



Opal
Matt
Glass



SL63531CL

Marconi Wall Light

P28 H32 D18

E27 25w

NEW



Clear
Glass



OL65321/1AB

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



Frosted
Glass



SL63311BK

Arlington Wall Light

P20 H35 D11

E27 25w



Opal
Matt
Glass



SL63411BK

Raymont Wall Light

P17 H26 D10

E27 25w



Obscure
Glass



OL65321/1BK

Rochester Wall Light

H20 W13 P21

E27 40W

NEW



Frosted
Glass



WALL LIGHTS

OL69463BK

Kinbury

H38.5 P18 BD12

E27 60w

NEW



Opal
Matt
Glass



OL69463SB

Kinbury

H38.5 P18 BD12

E27 60w

NEW



Opal
Matt
Glass



OL69389/1BR

Clayton Wall Bracket

P20 W16

E27 60w

NEW



Satin
Brass
finish

Clear
Glass



OL69473BK

Hopley

H30.5 P18 BD12

E27 60w

NEW



Opal
Matt
Glass



OL69473SB

Hopley

H30.5 P18 BD12

E27 60w

NEW



Opal
Matt
Glass



OL69389/2BR

Clayton Wall Bracket

P20 W40

E27 60w x 2

NEW



Satin
Brass
finish

Clear
Glass



OL69481BK

Heath

H29 W21 P29 BD12

E27 60w

NEW



Clear
Glass



OL69481BR

Heath

H29 W21 P29 BD12

E27 60w

NEW



Clear
Glass



WALL LIGHTS

OL65901BK

Gaston Wall Bracket

H25 W19 P31

E27 60w

NEW



Satin
Black
Finish



OL65901BZ

Gaston Wall Bracket

H25 W19 P31

E27 60w

NEW



Bronze
Painted
Finish



OL65273/2

Hyort 2 Lt Wall Light

H46 W43

E14 60w x 2



OL50700AB

Swingley Antique Brass

H28 W25 P33

B22 60w



Supplied with
soft-pleat shade.



OL68781WH

Vicky Wall Light

H20 W18 P13

E27 40w



OL68781BK

Vicky Wall Light

H20 W18 P13

E27 40w



SL64906BK

Eaton Wall Light

H25 W17 P14

E27 42w



OL68791BK

Bastia Wall Light

H21 W22 P14

E27 40w



OL68791WH

Bastia Wall Light

H21 W22 P14

E27 40w



WALL LIGHTS

OL50800BP

Picture Polished Brass finish

L36 P17.5

E14 40w x 2



OL50800AB

Picture Antique Brass

L36 P17.5

E14 40w x 2



OL50800CH

Picture Chrome

L36 P17.5

E14 40w x 2



OL50800BK

Picture Matt Black

L36 P17.5

E14 40w x 2



OL69375RB

Derwent Wall Light
(rubbed bronze)

H32 D22 P25

E27 60w



OL69375BK

Derwent Wall Light

H32 D22 P25

E27 60w



OL69373BK

Boulton Wall Bracket
Black

P27 BD11

E27 60w




OL69373CH

Boulton Wall Bracket
Chrome

P27 BD11

E27 60w



OL50903SB

Loxby Satin Brass

W35 H17.5 P21 BD12

E14 40w x 2



OL50903BK

Loxby Matt Black

W35 H17.5 P21 BD12

E14 40w x 2



WALL LIGHTS

OL69377BK

Roxbury adjustable Wall Bracket

P60 H40 SD19

E27 60w



OL50401AB

Bankers Wall Bracket

W27 P21

E27 40w



Green
Glass




OL50401BK

Bankers Wall Bracket

W27 P21

E27 40w



Green
Glass



SL64451BK

Newton Wall Bracket

H28 P21 W18

E14 42w



Clear
Glass



SL64451BB

Newton Wall Bracket

H28 P21 W18

E14 42w



Clear
Glass

Brushed
Brass
finish



OL56213SB

Norbert Wall Bracket

SD15 BD10

E27 60w



Switch
on the
backplate

NEW

Satin
Brass
features



OL69288BB

Pip Wall Bracket

H20 P12.5

E27 60w



Brushed
Brass
finish



OL69288BK

Pip Wall Bracket

H20 P12.5

E27 60w



OL69288WH

Pip Wall Bracket

H20 P12.5

E27 60w



SPOTLIGHTS | wall mounted

UA50913BA

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913BK

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



UA50913WH

Flexi Wall Mounted LED
Reading Lamp
BD8.5 HD3 P30
LED 3w Integrated
(with switch)

LED

Features a
fully flexible
goose-neck
arm.



Switch on
the backplate



OL58733/1BK

Ultra adjustable Wall Light
BD8 HD5.5 L13
Rated GU10 35w
(with switch)



Switch on
the backplate



OL55211BK

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w
(with switch)



Switch on
the backplate




OL52103BK

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K

LED



Switch on
the backplate



OL58733/1WH

Ultra adjustable Wall Light
BD8 HD5.5 L13
Rated GU10 35w
(with switch)




Switch on
the backplate



OL55211WH

Salem adjustable Wall Light
BD10 HD10 P25
E27 42w
(with switch)



Switch on
the backplate




OL52103WH

Hotel Wall Light
H25 W10 P19
LED 3w | 4000K

LED




Switch on
the backplate



SPOTLIGHTS

OL56093BK

Pano 3lt
See Page 064 for
more information



Pano

OL56096BK

Pano 6lt
See Page 064 for
more information



OL56013/4BK

Bridge 4lt
See Page 065 for
more information



NEW

OL56013/6BK

Bridge 6lt
See Page 065 for
more information

Bridge

OL56215/4SB

Norbert 4lt Rail
See Page 065 for more
information



Norbert

OL56215/6SB

Norbert 6lt Round
See Page 065 for
more information

NEW



OL56013/4SB

Bridge 4lt
See Page 065 for
more information



NEW


OL56013/6SB

Bridge 6lt
See Page 065 for
more information

Bridge


OL85301

L100
2 Light Track Kit
Includes
1 x LF5300/1000BK
2 x OL58615BK
2 x A-LED-670754060 (7W/4000K)



OL85303

L100
3 Light Track Kit
Includes
1 x LF5300/1000BK
3 x OL58615BK
3 x A-LED-670754060 (7W/4000K)



OL85302

L100
2 Light Track Kit
Includes
1 x LF5300/1000WH
2 x OL58615WH
2 x A-LED-690754060 (7W/4000K)




OL85304

L100
3 Light Track Kit
Includes
1 x LF5300/1000WH
3 x OL58615WH
3 x A-LED-690754060 (7W/4000K)



Track - 240v



LF5300/1000BK	Track Black 1M	L100 W3.5 P2
LF5300/1000WH	Track White 1M	L100 W3.5 P2
LF5300/2000BK	Track Black 2M	L200 W3.5 P2
LF5300/2000WH	Track White 2M	L200 W3.5 P2

Oriel Lighting track is available in black or white finish.
240 volt track and lights sold separately.
Single circuit (3 wire) track supplied with live and dead end.
Accessories are available to join multiple Tracks.

Track Accessories

[to suit single circuit / 3wire Track]



LF5301BK Inline (straight) Track joiner

LF5301WH Inline (straight) Track joiner

LF5302BK Power-feed (straight) Track joiner

LF5302WH Power-feed (straight) Track joiner


LF5303BK Flexible Track joiner

LF5303WH Flexible Track joiner

Adjustable 0° to 90°


OL58615BK
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril




OL58615WH
Head L8 D6
Rated GU10 35w
(lamp not included)

Baril




OL58735BK
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra




OL58735WH
Head L13 D5.5
Rated GU10 35w
(lamp not included)

Ultra





LF5355BK
L8 D6 P13
Rated GU10 35w
(lamp not included)

Zero



LF5355WH
L8 D6 P13
Rated GU10 35w
(lamp not included)


Zero



OL56015BK
Head L10 D5.5
Rated GU10 35w
(lamp not included)

Bridge



NEW



OL56015SB
Head L10 D5.5
Rated GU10 35w
(lamp not included)

Bridge

NEW



OL58810/1BK	Yarra 1lt	BD10 HD5.7 P14	Rated GU10 35W
OL58811/2BK	Yarra 2lt	L30 HD5.7 P17	
OL58811/3BK	Yarra 3lt	L50 HD5.7 P17	
OL58811/4BK	Yarra 4lt	L70 HD5.7 P17	

Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Yarra shown
with LED
GU10 lamp.



Matt Black finish



OL58810/1WH	Yarra 1lt	BD10 HD5.7 P14	Rated GU10 35W
OL58811/2WH	Yarra 2lt	L30 HD5.7 P17	
OL58811/3WH	Yarra 3lt	L50 HD5.7 P17	
OL58811/4WH	Yarra 4lt	L70 HD5.7 P17	

Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Yarra shown
with LED
GU10 lamp.



Matt White finish



450
Lumen
5 Watt



A-LED-620554060
LED GU10 retrofit lamp
5w | 60° | Ra80 | 450lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming



580
Lumen
7 Watt



A-LED-690754060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 580lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming



580
Lumen
7 Watt



A-LED-670754060
LED GU10 retrofit lamp
7w | 60° | Ra80 | 580lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming



500
Lumen
6 Watt



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour
temperature
3000K

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm


colour
temperature
4000K

allumē



Not Suitable
for Dimming

SPOTLIGHTS | norton + baril

OL58770/1RB	Norton 1lt	BD8 HD6.5 P18	Rated GU10 35W
OL58771/2RB	Norton 2lt	L31 HD6.5 P18	 0.5m GU10
OL58771/3RB	Norton 3lt	L51 HD6.5 P18	


Oil Rubbed Bronze finish

Norton GU10 LED READY

Norton is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Norton shown with LED GU10 lamp.

Head Dia. 6.5

OL58610/1WH	Baril 1lt	BD8 HD6 P14	Rated GU10 35W
OL58611/2WH	Baril 2lt	L30 HD6 P16	 0.5m GU10
OL58611/3WH	Baril 3lt	L50 HD6 P16	
OL58611/4WH	Baril 4lt	L70 HD6 P16	
OL58613/1WH	Baril 1lt (with switch)	BD8 HD6 P14	


Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.

Switch on the backplate

Matt White finish

OL58610/1BK	Baril 1lt	BD8 HD6 P14	Rated GU10 35W
OL58611/2BK	Baril 2lt	L30 HD6 P16	 0.5m GU10
OL58611/3BK	Baril 3lt	L50 HD6 P16	
OL58613/1BK	Baril 1lt (with switch)	BD8 HD6 P14	

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.

Baril with switch.

Switch on the backplate

Matt Black finish

Baril shown with LED GU10 lamp.

A-LED-670754060
Black GU10



The engineers at SG have designed an excellent LED ready GU10 spotlight - the Zoom.

Designed to accept GU10 LED retrofit lamps of varying lengths. The hood on the Zoom can be extended to cover the lamp or act as a baffle.

You can choose from a wide range of retrofit LED GU10 lamps - for optimum life and performance we recommend the Temperature Controlled (TC) GU10 globe.



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour
temperature
3000K

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming

TC- Temperature Control

This smart globe adapts itself to the luminaire, managing heat and achieving an average life of over 20,000 hrs.

If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.


SG75051WH

Zoom LED ready spotlight
BD10 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75056WH

Zoom 3lt LED ready spotlight
BD23 HD7 P18
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75052WH

Zoom LED ready spotlight
L40 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




SG75053WH

Zoom LED ready spotlight
L58 BW4 HD7 P17
Designed for GU10 LED
(lamp not included)
Rated GU10 6W




Profile R80

LF500/2WH Profile 2lt White L36 W4 P17
LF500/3WH Profile 3lt White L55 W4 P17



Profile R80 - with switch


LF500/1S WH
 Profile 1lt White with switch
 D8 P17



Switch on
the backplate

Profile R80

LF500/1WH
 Profile 1lt White
 D8 P17



LED

800
Lumen
10 Watt



**Retrofit LED R80
style lamp available.
A-LED-7710240**

Light Output 800 lumen
 Energy Used 10 watts
 Efficacy 80 lm/w
 Beam Width 180°

colour
temperature
4000K

colour
rendition
>Ra80



Project R80




LF4325WH

Project

D12.5 C8.5


R80 E27 100w

(Fitting only / lamp not inc.)



R80 - 100w

Project R80




LF4325BCH

Project

D12.5 C8.5

R80 E27 100w

(Fitting only / lamp not inc.)




R80 - 100w

allumē

WALL LIGHTS | vanity

Mode.CTS

LED NEW



Mode is a wall mounted LED vanity light with a tilt adjustable head.

OL60853/600WH

Mode.60 CTS LED White

L63 H3 P11

10w | CTS | >Ra84 | 830lm

OL60853/900WH

Mode.90 CTS LED White

L93 H3 P11

13.5w | CTS | >Ra84 | 1100lm

OL60853/1200WH

Mode.120 CTS LED White

L123 H3 P11

16.5w | CTS | >Ra84 | 1350lm




OL50316BK

Kinden CTS Picture Light

W60

10w LED CTS

LED NEW



OL69463BK

Kinbury

H38.5 P18 BD12

E27 60w

NEW

Opal
Matt
Glass




OL50316SB

Kinden CTS Picture Light

W60

10w LED CTS

LED NEW



OL69473BK

Hopley

H30.5 P18 BD12

E27 60w

NEW

Opal
Matt
Glass



RECESSED | wall + cabinet LED

UA4245/3000WH

Peko.6 LED - 3000K | 290lm

Recessed wall fitting complete with driver.

LED 6w (450mA) | >Ra84

W12 H15.5 C10.5x13.5 R7

Peko.6 is only 4cm deep

(Includes Constant Current Driver)



UA4240/3000WH

Peko.3 LED - 3000K | 130lm

Recessed wall fitting complete with driver.

LED 3w (350mA) | >Ra84

W8 H8 C6.6x7.3 R7

Peko.3 is only 2.5cm deep

(Includes Constant Current Driver)



Peko.3 is only 2.5cm deep.



UA4245/4000WH

Peko.6 LED - 4000K | 345lm

Recessed wall fitting complete with driver.

LED 6w (450mA) | >Ra84

W12 H15.5 C10.5x13.5 R7

Peko.6 is only 4cm deep

(Includes Constant Current Driver)



UA4240/4000WH

Peko.3 LED - 4000K | 140lm


Recessed wall fitting complete with driver.

LED 3w (350mA) | >Ra84

W8 H8 C6.6x7.3 R7

Peko.3 is only 2.5cm deep

(Includes Constant Current Driver)



Peko.3 is only 2.5cm deep.



Magro recessed cabinet light is only 10mm deep.

UA4510WH

Magro White

D7 C6

LED 2w | 82lm

(Requires 12V CV Driver)



Magro recessed cabinet light requires a 12volt 12watt constant voltage driver.

Up to 4 Magro fittings can be wired in parallel to one 12w driver.



LED-CV12V-12W

12volt 12w constant voltage driver



DOWNLIGHTS | recessed + surface mounted LED

LF3620WH
Mars.10 LED Downlight
D11.5 C9 R6
LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 700lm
4000K | 785lm
6000K | 725lm

LED **90 mm Cutout** **785 Lumen 10 Watt**

CTS **IP44**

120°



LF3630WH
Mars.15 LED Downlight
D14 C12 R7
LED SMD 15w | 120° | CRI >Ra82 | IP44

CCT 3000K | 1350lm
4000K | 1450lm
6000K | 1350lm

LED **120 mm Cutout** **1450 Lumen 10 Watt**

CTS **IP44**

120°



LF3210/8WH
Aurora.8 LED Downlight
D9.5 C7 R5
LED SMD 8w | 120° | CRI >Ra82 | IP44

CCT 3000K | 560lm
4000K | 640lm
5700K | 560lm

LED **70 mm Cutout** **640 Lumen 8 Watt**

CTS **IP44**

120°



LF3210/10WH
Aurora.10 LED Downlight
D11.5 C9 R5.5
LED SMD 10w | 120° | CRI >Ra82 | IP44

CCT 3000K | 750lm
4000K | 850lm
5700K | 750lm

LED **90 mm Cutout** **850 Lumen 10 Watt**

CTS **IP44**

120°



UA4695BK
Entas LED Black Surface Mounted
D7.5 H11.5
LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm

LED **775 Lumen 9 Watt**

CTS **IP44**

120°

colour rendition >Ra82



UA4695WH
Entas LED White Surface Mounted
D7.5 H11.5
LED 9w | 120° | IP44

CCT 3000K | 650lm
4000K | 775lm
6000K | 685lm

LED **775 Lumen 9 Watt**

CTS **IP44**

120°

colour rendition >Ra82



CEILING | LED

OL49861/30BK

Orbis.30 LED
D30 P5
12w LED
CTS | CRI>85 | 750lm



colour
rendition
>Ra85

OL49861/30WH

Orbis.30 LED
D30 P5
12w LED
CTS | CRI>85 | 750lm



colour
rendition
>Ra85

OL49861/40BK

Orbis.40 LED
D40 P5
24w LED
CTS | CRI>85 | 1500lm



colour
rendition
>Ra85

OL49861/40WH

Orbis.40 LED
D40 P5
24w LED
CTS | CRI>85 | 1500lm



colour
rendition
>Ra85

OL49861/50BK

Orbis.50 LED
D50 P5
30w LED
CTS | CRI>85 | 1850lm



colour
rendition
>Ra85

OL49861/50WH

Orbis.50 LED
D50 P5
30w LED
CTS | CRI>85 | 1850lm



colour
rendition
>Ra85

CTS

Colour Temperature Switching

Select your colour temperature option before installing the fitting


3000K Warm White 4000K Cool White 5000K Daylight White



The Orbis, like many of our LED light fittings, is TRICOLOUR – featuring CTS (Colour Temperature Switching) allowing the selection of the colour temperature at the time of installation.

The Orbis options are 3000K (warm white) / 4000K (cool white) / 5000K (Daylight). The colour temperature is selected using a switch inside the cover.





Remo has an alabaster look glass available with brushed chrome, white or gold finished clips.

OL41040BCH

Remo 1lt Brushed Chrome



Brushed Chrome

OL41040WH

Remo 1lt White



White

OL41040GD

Remo 1lt Brass Plate



Brass Plate

D30 P11

E27 60w



OL41140BCH

Remo 2lt Brushed Chrome



Brushed Chrome

OL41140WH

Remo 2lt White



White

OL41140GD

Remo 2lt Brass Plate



Brass Plate

D40 P15

E27 60w x 2



OL41340BCH

Remo Wall Light Brushed Chrome

W30 H15 P10

E27 60w



OL41340WH

Remo Wall Light White

W30 H15 P10

E27 60w




OL47100WH

Button Ceiling Light

D25 P9

E27 60w



OL41340GD

Remo Wall Light Brass Plate

W30 H15 P10

E27 60w



OL44031CH

Claw 1lt

D30 P9

E27 60w



Claw has an opal matt glass with chrome "claw" clips.



OL44131CH

Claw 2lt

D40 P11

E27 60w x 2




OL44331CH

Claw 1lt Wall Light

W30 H15 P9

E27 60w



OUTDOOR | barn style

OL7890BK

Hudson Black

H32.5 W26 P32

E27 40w



IP44



OL7890WH

Hudson White

H32 W26 P32

E27 40w



IP44



OL7895BK

Unley Black

H29 W13 P24

E27 40w



IP44



OL7895WH

Unley White

H29 W13 P24

E27 40w



IP44



OL7865BK

Moca Black

H45 W27.5 P40

E27 40w



IP44



OL7865WH

Moca White

H45 W27.5 P40

E27 40w



IP44



OUTDOOR | barn style

OL7240BK

Monza Black

H20.5 W16 P21

E27 40w



IP44



OL7240SS

Monza Stainless

H20.5 W16 P21

E27 40w



IP44



OL7240WH

Monza White

H20.5 W16 P21

E27 40w



IP44



OL7643BK

Anzio Black

H31 W24 P28

E27 25w



IP44



OL7643WH

Anzio White

H31 W24 P28

E27 25w



IP44



OL7621BK

North Black

H33 W18 P21

E27 60w



IP44



OL7621GP

North Graphite

H33 W18 P21

E27 60w



IP44



OL7621WH

North White

H33 W18 P21

E27 60w



IP44



OUTDOOR | barn style

OL7880CO

Alley Copper finish

H30 SD29.5 P37

E27 42w



IP44

Clear glass



OL7880BK

Alley Black

H30 SD29.5 P37

E27 42w



IP44

Clear glass



OL7880WH

Alley White

H30 SD29.5 P37

E27 42w



IP44

Clear glass



Outdoor Lighting

These are reasonably priced, medium duty products. Not all outdoor lights are suited or recommended for seaside or high traffic commercial applications. Your lighting advisor will guide you as to their suitability for your application.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results. High-pressure water cleaning is not recommended.



OL7850BK

Domo Black

H36 W17.5 P28

E27 60w



IP44

Clear polycarb diffuser



OL7850GP

Domo Graphite

H36 W17.5 P28

E27 60w



IP44

Clear polycarb diffuser



OL7850WH

Domo White

H36 W17.5 P28

E27 60w



IP44

Clear polycarb diffuser



SG70420BK

Ibiza Black
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70420WH

Ibiza White
H51.5 W23 P30
E27 60w



Ibiza can be converted from upward facing to downward facing prior to installation.

IP44



SG70410BK

Java Mini Black
H44 W16 P28
E27 60w



IP44



SG70410WH

Java Mini White
H44 W16 P28
E27 60w



IP44



Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

These quality luminaires are made of cast powder-coated aluminium with UV-stabilised clear polycarbonate diffusers.

They are highly corrosion resistant and impact resistant.

OL7641BK

Portico Black
H24.5 W11 P15
E27 60w



IP44



OL7641WH

Portico White
H24.5 W11 P15
E27 60w



IP44



OL7371BK

Horsham
H32 P23 W18
E27 60w



IP44



OL7401BK

Ascot Down
H33 W17 P22.5
E27 60w



IP44



OL7401WH

Ascot Down
H33 W17 P22.5
E27 60w



IP44



OL7402BK

Ascot Up
H33 W17 P22.5
E27 60w



IP44



OL7402WH

Ascot Up
H33 W17 P22.5
E27 60w



IP44



SL64908BK

Oakland 1 Light

H25 W18 P15

E27 25w



Clear glass



SL64909BK

Oakland 2 Light

H30 W28 P15

E27 25w x 2



Clear glass



SL64908BC

Oakland 1 Light

H25 W18 P15

E27 25w

Brushed
Chrome
Plated



Clear glass



OL7843BK

Pandora Wall Light

H22 W12 P12

E27 40w



Clear glass



OL7844BK

Pandora Wall Bracket

H38.5 W12 P20

E27 40w



Clear glass



Nothing looks quite like an LED Vintage Filament bulb in a clear glass, traditional, outdoor light.

The twin-loop ST64 bulb is one of the most popular.



colour
temperature
2700K

A-LED-26305222

LED LOOP FILAMENT
ST64 | 5W | 2200K | 300lm

300
Lumen
5 Watt

OL7270BK

Fenchurch Black

H36 W18 P10

E27 60w



Clear glass



OL7270WH

Fenchurch White

H36 W18 P10

E27 60w



Clear glass



OL7361BK

Bristol Wall Bracket

H50 W19 P27

E27 42w

Textured
Black finish



IP44



OL7321BK

Newark Wall Bracket

H51 W23 P29

E27 60w

Textured
Black finish



IP44



OL7351BK

Fairview Black

H36 W19 P25

E27 42w

Textured
Black finish



IP44



OL7351WH

Fairview White

H36 W19 P25

E27 42w

Textured
White finish



IP44



OL7119GP

Cortez Pillar Graphite

W30x30 H27

E27 60w

Textured
Graphite
finish



IP44



OL7119BK

Cortez Pillar Black

W30x30 H27

E27 60w

Textured
Black
finish



IP44



OL7661BK

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661GN

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7661PR

Highgate Down

H33 W16.5 P19

E27 60w



IP44



OL7662BK

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662GN

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7662PR

Highgate Up

H38.5 W16.5 P20

E27 60w



IP44



OL7663WH

Highgate DIY

H16 D28

B22 60w



OL7663BK

Highgate DIY

H16 D28

B22 60w



OL7366BK

Bristol Post Light

H218 D20 BD26

E27 42w



Textured Black
finish

IP44



(Complete with post)

OL7326BK

Newark Post Light

H220 D22 BD26

E27 60w



Textured Black
finish

IP44



(Complete with post)

OL7669BK

Highgate Post Light

H227 D20 BD26

E27 60w



Textured Black
finish

IP44



(Complete with post)

OL7774/1SS

Zeta Single Adjustable

BD10 P19

GU10 35w



IP44

OL7774/3SS

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



IP44

OL7775/1SS

Zeta Single Wall washer

BD7.5 H11.5 P8.5

GU10 35w




OL7775/2SS

Zeta Up/Down Wall Washer

BD7.5 H20 P8.5

GU10 35w x 2



OL7774/2SS

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2




IP44

OL7776/2SS

Zeta 2 Light Round Adjustable

BD11.5 P17

GU10 35w x 2




IP44

ZETA series

Designed for OUTDOOR use with GU10 Globes. (Globe/s not included)

These fittings are supplied without globes, giving you the option of selecting the most appropriate GU10 LED for the application.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the Temperature Control - TC GU10 globe.



GU10 LED

Stainless Steel



Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel "revivers" are available and can be used to maintain the finish.

OL7741CO

Brava Copper
H13.5 W11.5 P9.5
GU10 35w



IP44



Raw materials like copper and brass develop a natural patina over time, and will add to the appeal of a natural setting.

The Oriel Lighting outdoor range are reasonably priced, medium duty products, designed for domestic applications.

OL7718CO

Comma Up/Down
Wall Washer
H15 P11.5 BD7.5
GU10 35w x 2



IP44



OL7711CO

Comma Single
Adjustable
H15 P20 BD7.5
GU10 35w




IP44



UA7787CO

Oxley Single Adjustable
D6 P18 BD7
GU10 35w



IP65



UA7786CO

Oxley Up/Down Wall Washer
H21 D6 P9 BD7
GU10 35w x 2



IP65



UA7785SS

Oxley Down Wall Washer
H12.5 D6 P9 BD7
GU10 35w



IP65



A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 480lm

colour
temperature
3000K

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 500lm

colour
temperature
4000K

allumē



Not Suitable
for Dimming

OL7718BC

Comma Up/Down
Wall Washer
H15 P11.5 BD7.5
GU10 35w x 2



IP44



OL7711BC

Comma Single
Adjustable
H15 P20 BD7.5
GU10 35w



IP44



The nickel plated copper & brass used in the Comma BC gives long life, similar to traditional chrome plated tap ware.

OL7717BC

Comma Single
Down Wall Washer
H12 P12 BD7.5
GU10 35w



IP44



These fittings are GU10, and supplied without globes.

You can choose from a wide range of retrofit LED GU10 globes - for optimum life and performance we recommend the Temperature Control - TC GU10 globe.

TC- Temperature Control

This globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 20,000 hrs.


If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.

OL7774/1BK

Zeta Single Adjustable

BD10 P19

GU10 35w




OL7774/3BK

Zeta Triple Adjustable

L45 W6 P19

GU10 35w x 3



The Zeta series in black is powder coated stainless steel.

OL7775/1BK

Zeta Single Wall Washer

H11.5 P8.5 BD7.5

GU10 35w



OL7775/2BK

Zeta Up/Down Wall Washer

H20 P8.5 BD7.5

GU10 35w x 2




OL7774/2BK

Zeta Double Adjustable

L30 W6 P19

GU10 35w x 2



OL7798BK

Latitude Up/Down Wall Washer

H19.5 W7.5 P12.5 Base 7.5x4.5

GU10 35w x 2



NEW

OL7798WH

Latitude Up/Down Wall Washer

H19.5 W7.5 P12.5 Base 7.5x4.5

GU10 35w x 2



NEW

OL7461BK

Tove Single Wall Washer

H17.5 P15.5 BD11

GU10 35w




OL7462BK

Tove Up/Down Wall Washer

H23.5 P15.5 BD11

GU10 35w x 2





SG71201BK


Kube GU10 Black

H9 W8 P11.5

GU10 35w



IP65




Kube GU10

SG71301BK


Metro GU10 Black

H12 W9 P15

GU10 35w



IP65



Metro GU10

SG71202BK


Kube GU10 Twin Black

H18 W8 P11.5

GU10 35w x 2



IP65



Kube GU10 Twin

SG71302BK


Metro GU10 Twin Black

H23.5 W9 P15

GU10 35w x 2



IP65



Metro GU10 Twin

SG70570BK

Primo Black

D27 P11

E27 60w



IP65



SG70570WH


Primo White

D27 P11

E27 60w



IP65



OUTDOOR | LED

OL7190BK
Vanguard Bollard
H78
Base Flange 11x6
LED 10w 720lm
Integral Driver



LED

IP54

OL7193BK
Vanguard Wall Light
H26 H16 W8
LED 10w 720lm
Integral Driver



LED

IP54

OL7194BK
Vanguard Sensor
H26 H16 W8
LED 10w 720lm
Integral Driver
Integral PIR Sensor



LED


PIR Sensor

IP54

1.5-2m mounting height

3m 5m 7m

detection area 90°



The PIR (passive infrared sensor) installed on the Vanguard Sensor model is designed to operate the fitting when movement is detected.

LF7411BK
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 380lumen | 4000K



LED

IP44

colour temperature 4000K

LF7411SS
Varde LED
Single Adjustable
BD7.5 P16.5
6W | 380lumen | 4000K



LED

IP44

colour temperature 4000K

LF7422BK
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 760lumen | 4000K



LED

IP44

colour temperature 4000K

LF7422SS
Varde LED Up/Down
Wall Washer
BD7.5 H16 P9
2 x 6W | 760lumen | 4000K



LED

IP44

colour temperature 4000K

LF7551BK
Kombi LED Bulkhead
19.5x11 P7.5
700lumen | 4000K



LED

colour temperature 4000K

IP54

LF7552BK
Ossen LED Bulkhead
D17.5 P7
700lumen | 4000K



LED

colour temperature 4000K

IP54

LF7552WH
Ossen LED Bulkhead
D17.5 P7
700lumen | 4000K



LED

colour temperature 4000K

IP54

Kombi + Ossen feature an all polycarbonate construction with hidden fixings.

OUTDOOR | wall lights

OL7282BK

Cheeta Black

H28 W22 P9

E27 60w



IP44



OL7282SS

Cheeta Stainless

H28 W22 P9

E27 60w



IP44



OL7293BK

Cheeta Sensor Black

H28 W22 P9

E27 60w



IP44



OL7293SS

Cheeta Sensor Stainless

H28 W22 P9

E27 60w



IP44



The PIR (passive infrared sensor) installed on the Cheeta Sensor model is designed to operate the fitting when movement is detected.

The sensor operates when the ambient light level is below 30 lux, so only at night.

The sensor has a duration timer, the light remains on for approx. 90 seconds duration.

The sensor settings are factory set and not adjustable.

This fitting has a manual override for the sensor.

OL7819SS

Brick Light 316SS

W23 H10

Cutout 21x8.5

Recess 7.5

E27 60w



IP54



Recessed "brick lights" are designed to be recessed into brick, block or concrete walls.

OL7125BK

Oblik Pillar Mount

15.5x15.5 H20 Base 8x8

E27 60w



Opal poly lense


IP44



OL7155BK

Velika Bollard - Buriable

H120 D15
Post Dia. 12
E27 60w



IP44



OL7156BK

Velika Bollard - With Flange

H100 BD17
Post Dia. 12
E27 60w



IP44



UA7370GP

Terzo Bollard

H65 D12 BD17
E27 10w LED



IP44



OL7190BK

Vanguard Bollard

H78
Base Flange 16x8
LED 10w 720lm
Integral Driver

NEW

LED



IP54



OL7161BK


Tove Bollard

H80 D9 BD13
E27 10w LED



IP44





OUTDOOR | bulkhead

OL7960BK

Cheval Black
W22 H15.5 P12.5
E27 60w



OL7960GP

Cheval Graphite
W22 H15.5 P12.5
E27 60w



OL7960WH

Cheval White
W22 H15.5 P12.5
E27 60w



Frosted glass

OL7902BK

Tonato Eyelid Black
D30 P10
E27 60w x 2



OL7902GP

Tonato Eyelid Graphite
D30 P10
E27 60w x 2



OL7902WH

Tonato Eyelid White
D30 P10
E27 60w x 2



Opal poly
lense

OL7901BK

Tonato Plain Black
D30 P10
E27 60w x 2



OL7901GP

Tonato Plain Graphite
D30 P10
E27 60w x 2



OL7901WH

Tonato Plain White
D30 P10
E27 60w x 2



Opal poly
lense

OL7816BK

Visor Bulkhead Black

L30 H11.5 P13

E27 60w



IP54



OL7816GP

Visor Bulkhead Graphite

L30 H11.5 P13

E27 60w



IP54



OL7816WH

Visor Bulkhead White

L30 H11.5 P13

E27 60w



IP54



OL7971BK

Galaxy Guard

W21.5 H14.5 P10

E27 60w



IP54



OL7973BK

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



OL7973WH

Galaxy Eyelid

W21.5 H14.5 P10

E27 60w



IP54



LF7951BK

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



Frosted
glass

IP54



OL7990BK

Deck Plain

L27 H13 P12

E27 60w



IP54



OL7991BK

Deck Guard

L27 H13 P12

E27 60w



IP54



OL7992BK

Deck Eyelid

L27 H13 P12

E27 60w



Frosted
glass

IP54




LF7951WH

Osmo Poly Bunker
with glass lense

L20 W12 P10

E27 40w



IP54



OUTDOOR | bulkheads by SG

SG70520BK

Trio Black
H32 W18.5 P9.5
E27 60w



IP65



SG70520WH

Trio White
H32 W18.5 P9.5
E27 60w



IP65




SG70520GP

Trio Graphite
H32 W18.5 P9.5
E27 60w



IP65



SG70560BK

Largo Black
W24x24 P12
E27 60w



IP65



SG70560WH

Largo White
W24x24 P12
E27 60w



IP65




SG70560GP

Largo Graphite
W24x24 P12
E27 60w



IP65



SG70522BK

Trio Mini Black
H24 W15 P10
E27 40w



IP65



SG70522WH

Trio Mini White
H24 W15 P10
E27 40w



IP65




SG70522GP

Trio Mini Graphite
H24 W15 P10
E27 40w



IP65



OL7753SS

Luna Stainless

D10 P5

JC G4 20w



IP44



OL7753BK

Luna Black

D10 P5

JC G4 20w



IP44



The LIGHTSCAPING range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.

The powder coated aluminium alloy fittings are the most cost effective solution offering excellent value for money.

OL7148BK

Thax Spike

H39 D7.5 P12

(Inc Spike 17cm)

MR16 20w



IP54



OL7762SS

Accent Spike

H26 D6 L9.5

(Inc Spike 15cm)

MR16 20w



IP44



OL7762BK

Accent Spike

H26 D6 L9.5

(Inc Spike 15cm)

MR16 20w



IP44



240
Lumen
3 Watt



MR11

A-LED-610384030

LED MR11 retrofit lamp

3w | 30° | Ra80 | 240lm

colour temperature
4000K

12V AC/DC



Not Suitable
for Dimming

590
Lumen
7 Watt



MR16

A-LED-680795060

LED MR16 retrofit lamp

7w | 60° | Ra80 | 590lm

colour temperature
5000K

12V AC/DC



Not Suitable
for Dimming

300
Lumen
3 Watt



A-LED-9103840

LED JC G4 retrofit lamp

3w | 270° | Ra80 | 300lm

colour temperature
4000K

12V AC/DC



Not Suitable
for Dimming

This lamp is suitable for use with most fittings using a JC12v lamp.

Ask your stockist for lamp and transformer compatibility details.

Lightscaping
the art of outdoor lighting

For the latest DIY garden lighting information, installation ideas and tips, visit the Lightscaping web site:
www.lightscaping.com.au



OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Garden Cable pack

OL7702/30

30m Garden Cable pack



OL7700/60

60va 12V AC
Garden Lighting Transformer
Suitable for use with **allume**
12V AC/DC LED lamps.



IP44

OL7738BK

Pavillion

H57 D15
(Inc Spike 17cm)

JC G4 20w



IP44



OL7737CO

Goya 160 Copper

H65 D17
(Inc Spike 20cm)

JC G4 20w



IP44



OL7766SS

Guide 12V Bollard

H63 D5
(Inc Spike 14cm)

MR11 10w



IP44



solid
copper



stainless
steel

OL7737BK

Goya 160 Black

H65 D17
(Inc Spike 20cm)

JC G4 20w



IP44



OL7767SS

Lance 12V Bollard

H64 D4
(Inc Spike 15cm)

JC G4 10w



IP44



ACCESSORIES | assorted

OLA09/414AB

4 1/4" Gallery Antique Brass
D11 H3.5 (E27 Opening)



OLA09/414BK

4 1/4" Gallery Black
D11 H3.5 (E27 Opening)



OLA09/99BK

Batten Holder Cover Black
D8 H3



OLA09/99WH

Batten Holder Cover White
D8 H3



OLA14/8WH

Oyster Knob
Suits ceiling button
D 2 (Thread 4mm)



OLA16/01

Candle drip cover
L10 D3



A-SUCTIONCAP

To make removal of GU10 type
globes easier.



We stock a large range
of components, parts
and accessories.
Ask the sales
team for more
information.



OLA05/628

Washer
Stepped steel ID3 OD6




OLA05/428

Washer
Dished aluminium ID3 OD6



OLA16/SHADE

Shade adapter
Reduce E27 to B22




A-LVLH/300

12v Lampholder 30cm

A-LVLH/1000

12v Lampholder 100cm



OL47700BC

Fan Oyster
Brushed Chrome / Gloss Opal
D23 P9 BD20
E27 42w x 2



OL47700WH

Fan Oyster
White / Gloss Opal
D23 P9 BD20
E27 42w x 2



F30/201-RG

Replacement Glass
D17 H8 LIP15.8
(Suits Clipper style fan light)



OL7700/60

60va 12V AC
Garden Lighting Transformer



IP44

Lightscaping garden light cable
12V - 18 AWG - 1mm

OL7702/15

15m Pack


OL7702/30

30m Pack



OLA16/314

Gel Connector 12V AC/DC
Used to connect 12V lights
Supplied in a Twin Pack
Suits wire 22-14 AWG



OLA07/6BK

60mm Fitter
Slip fitter to suit 60mm OD
pipe.



A60 LED Filament

Dimmable

Visit Oriel Lighting website for available models.

LED



allumē



Visit allumelighting.com.au for more information about our range of lamps & tubes.

ST64 LED Filament

Dimmable

Visit Oriel Lighting website for available models.

LED



C35 (Candle) LED Filament G45 (Fancy Round) LED Filament

Dimmable

Visit Oriel Lighting website for available models.

LED



G95 LED Filament

Dimmable

Visit Oriel Lighting website for available models.

LED



G125 LED Filament

Dimmable

Visit Oriel Lighting website for available models.

LED



A60 LED General Lighting

Not Dimmable

Visit Oriel Lighting website for available models.


LED



T5 Circular fluorescent tubes

A-T5C-22/840 T5 22w CIRCULAR TUBE 4000K [2GX13] D225mm

A-T5C-40/840 T5 40w CIRCULAR TUBE 4000K [2GX13] D299mm



2GX13
4 pins
2 on each side

12V AC/DC

12V LED Lamps

Not Dimmable

See page 122 or Visit Oriel Lighting website for available models.

LED



MR11



MR16



JC G4

GU10 LED Lamps

Not Dimmable

See page 092 or Visit Oriel Lighting website for available models.

LED



GU10



symbols used in this catalogue



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.

Measuring Light Fittings

All measurements are in centimeters (cm) unless otherwise noted.

We measure fittings in various ways, with the following "prefixes" :

L = Length, W = Width, H = Height, P = Projection,
D = Diameter, BD = Base Diameter, S = Suspension,
C = Cutout, R = Recess, HD = Head Diameter,
SD = Shade Diameter


Generally a pendant is measured as the fitting only, with a separate measurement for the suspension.

If it is unclear, please contact your distributor.

Measuring Lampshades

The measurements are expressed as Top x Bottom x Height, as per the diagram below.

For example, a 34x43x27 shade is 34cm across the top, 43cm across the bottom and 27cm down the side.



Targa lamp with USB + wireless charging

page 035



E27 lampholder



Colour temperature of light (° Kelvin)



NEW release this catalogue



PIR Passive InfraRed sensor



E14 lampholder



Colour rendition of light (CRI)



Down light supplied with a flex + plug



Manual override of motion sensor



B22 lampholder



Fitting is suitable for dimming



Approximate beam width of light output



GU10 LED globe recommended for this fitting



B15 lampholder



Fitting is not suitable for dimming



On / Off touch switch suitable for energy saver



MR16 LED globe recommended for this fitting



GU10 lampholder



Double insulated



Dimmer touch NOT suitable for energy saver



MR11 LED globe recommended for this fitting



Fitted with a cordline switch



Suited for indoor use only



Variable touch dimmer



JC LED globe recommended for this fitting



Fitted with a foot switch



May be used outdoor



IC - 4 abutted & covered



GU10 LED globe included with this fitting



Switched B22 lamp holder



This fitting is designed for use with reflector globes



This fitting is designed for use with an LED globe



Integral LED fitting or supplied with LED globe



Circular cut-out dimensions



Square / rectangular cut-out dimensions



Minimum distance to nearest surface



CTS Colour Temperature Switching (Tri-colour)



USB Socket



Wireless Charging

Unless stated, fittings do not include globes (bulbs). Maximum wattages noted in this catalogue may be reviewed as a result of product development. Globe styles and wattages are recommended only and no responsibility can be taken for damage to fittings or fixtures caused by globes. Care should be taken with all light fittings, heat is generated and can cause injury. No representations are made as to suitability for specific use. Engaging a specifier, lighting consultant or designer is recommended.

All fixed lights, other than "do it your self" models, must be installed by a qualified electrician, in accordance with AS/NZS3000.

Improper use, modification or incorrect installation could cause serious injury to persons or damage to property; and will void warranties.

All reasonable care has been taken to ensure that colours, illustrations and descriptions are correct, however due to printing processes and continuing product research and development we reserve the right to alter specifications at any time. Dimensions are in centimeters (cm), and as accurate as possible - if dimension is critical contact your distributor.

Some products experience "batch" colour variations, this applies specifically to fabric shades and fittings made from natural materials, such as the Earth range.

For detailed terms & conditions of sale, refer to the current Standard Terms & Conditions.

general information

GENERAL INFORMATION

Where an installation or operational instruction sheet is supplied, it should be followed.

All fixed light fittings must be installed by a licensed electrical contractor in accordance with AS/NZS 3000. Installation by any person other than a licensed electrical contractor voids the warranty, and could cause a safety risk.

Fittings should not be modified, any modification voids warranty and could be a safety risk.

Unless indicated, fittings do not include globes (light bulbs); and when globes are included they should be considered to be complimentary.

These fittings are designed for reasonable domestic use, operating in normal conditions and at a normal ambient temperature.

Unless specifically noted, these fittings should be considered to be IP20. Unless noted, they should not be used in damp conditions. They should be regularly dusted & cleaned and should not be used in a caustic or corrosive environment.

Unless noted, fixed fittings require a reliable earth.

Use only the correct globe type and observe the maximum wattage. Failure to do so may result in premature failure of the fitting or in extreme circumstances, fire.

Repairs to light fittings must be undertaken by a suitably qualified person. Some portable lamps (touch lamps) have flexes and plugs which cannot be repaired.

LED FITTINGS

The LED fittings in this catalogue are designed for reasonable domestic or light duty commercial applications.

Not all LED fittings are dimmable, refer to individual fitting specifications. Not all dimmers are suitable for use with dimmable LED luminaires/drivers. Unless specifically noted, a LED fitting should not be installed with a dimmer.

Many are supplied complete with DRIVERS or have built-in or integral drivers. Modification of these fittings supplied as a complete unit may diminish performance and will void warranty.

Where a fitting is not supplied with a driver, a suitable compatible driver must be used - your distributor can advise as to which is the most appropriate.

The installation instructions supplied should be followed to maximise the life of the fitting and installed globes.

Some fittings are suitable for domestic or light duty commercial applications only - your lighting advisor can assist in the correct selection for your application.

Electronic drivers can, in rare circumstances, cause interference with radios, television and other electronic devices.

Not all dimmers or lighting control systems are compatible with all drivers / transformers, some restrictions apply. Confirm suitability with your installing electrician or the distributor. Using an incorrect dimmer may cause premature failure, and will void warranty.

As some fittings have small tolerances for mounting - ensure holes are cut accurately to size. It is recommended to use an actual fitting to gauge the correct hole size as specifications may change due to constant product review and innovation.

Care should be taken when mounting recessed fittings as some surfaces do not allow efficient heat dissipation, and could cause premature fitting failure or even fire. As a general rule recessing into MDF and timber should be avoided.

All installations should be to AS/NZS3000. There are specific requirements for recessed downlights and wall lights.

Ensure good ventilation around the driver and the rear of the light fitting. Mount the driver away from the rear of the luminaire. Ensure all insulation materials are well clear of the light fitting & driver.

White coloured fittings may not be suitable for commercial applications, or for unusually long operating times, as they can discolour in time with excessive exposure to heat.

GU10 (240v) SPOTLIGHTS & WALL LIGHTS

These fittings are suitable for domestic use. Due to potential globe life limitations in some fully enclosed fittings they would not be ideal in commercial applications.

It is not recommended that domestic fittings are run continuously for greater than 8 hours per day on a regular basis.

OUTDOOR LIGHTING

Fittings designed for outdoor use are often not suitable for indoor use.

They are designed to operate at lower ambient temperatures with indoor operation often resulting in premature globe and component failure.

Care should be taken as stainless steel fittings tend to hold the heat of the globe and will be hot to touch.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look. Regular maintenance of the finish will be required.

If a stainless steel fitting is installed in a harsh environment the use of a surface protecting oil should be considered.






Our range consists of reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. Many are not recommended for seaside or high traffic commercial applications.

IP Ratings

IP Rating states the resistance of a fitting to the penetration of solid objects (first number) and liquids (second number).

Where applicable, the symbol used in this catalogue is this: **IP65**

This table is a guide to the IP ratings.

Protection from solid objects.			Protection from liquids.		
1		Protected against the entry of solid bodies with dimensions of more than 50mm.	1		Protected against the vertical falling of water drops.
2		Protected against the entry of solid bodies with dimensions of more than 12mm.	2		Protected against the vertical falling of water with a maximum inclination of 15°.
3		Protected against the entry of solid bodies with dimensions of more than 2.5mm.	3		Protected against the vertical falling of water with a maximum inclination of 60°.
4		Protected against the entry of solid bodies with dimensions of more than 1mm.	4		Protected against water sprayed from any direction. Limited ingress permitted.
5		Protected against the entry of dust.	5		Protected against low pressure water jets from any direction. Limited ingress permitted.
6		Totally protected against the entry of dust.	6		Protected against high pressure water jets from any direction. Limited ingress permitted.
Example: IP65 Primo (SG70570) is rated IP65 Totally protected from the entry of dust (6) and against low pressure water jets from any direction (5).			7		Protected against immersion between 15cm and 1m.
			8		Protected against long periods of immersion under pressure.



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



Recycle the packaging and any disused light fittings.

