



CEILING FANS
2025-26





About Hunter Pacific

TRUSTED FOR OVER 40 YEARS FOR AUSTRALIAN CONDITIONS

Quality and innovation have been the philosophical cornerstones underpinning Hunter Pacific International's ceiling fans and related products for over 40 years.

Clever designs that are attractive and highly efficient make Hunter Pacific the most desirable brand of ceiling fan. Resort developers and home designers from all over the world love the contemporary designs and popular traditional styles, all created with the unique flair and sophistication of which Hunter Pacific is renowned.

Hunter Pacific has rigorous quality control processes in factories and at our distribution centres. Routine inspection and testing ensures specifications for product performance and safety are adhered to.

AUSTRALIAN FAMILY OWNED & OPERATED

Local Heroes

Hunter Pacific is the official sponsor of Jimmy Vernon Racing



Philanthropy

Hunter Pacific has been a long term supporter of overseas aid projects, funding the construction of community buildings and sponsoring health and welfare initiatives in developing countries. It is only through the hard work of countless volunteers and community workers in those countries that many otherwise helpless people are lifted from dire circumstances and given opportunities to progress.

Hunter Pacific is thankful for the opportunity to assist with these efforts and continues to support Baptist World Aid Australia in the fight to end poverty.



Smart Home Option

SMART MODULES WITH SAL PIXIE®

PLUG-IN module by Hunter Pacific International (requires licensed electrician)

Hunter Pacific International provides a plugin PIXIE module for a wide range of their indoor and outdoor DC powered, 6 / 9 speed ceiling fans.

Once installed homeowners have complete smart control of ceiling fan speed, direction and light (if included) from the PIXIE mobile App. Mobile App control from smart phones and tablets includes quick access widget control and voice control capability when enabled in the PIXIE PLUS App.



PIXIE Multifunction Rotary Control** #SMFR/BTAS



Pixie Touch Panel
Part#:STP54BTAS**

On Wall Control, Anywhere More Control Options

Using the PIXIE Multifunction Rotary Control, home owners control ceiling fan speed and light functions from a single, familiar rotary dial interface. Homeowners can control their fans from multiple locations throughout their home.

Users control their fan's functions individually, and as groups including scheduling functions to maximise comfort.

Mobile App control from smart phones and tablets includes quick access widget control and voice control capability when enabled in the PIXIE PLUS App.

Control Panel

6 / 9 Speed fan control with intuitive dial interface with animated fan graphic for simple user speed feedback. Select between cool white, warm white and daylight on light enabled models and simply select your light level intensity using the slider. Activate timers to maximise comfort whilst automatically minimising energy usage.

** Note: This device is made and sold by Pixie and works exclusively with Pixie Smart Home Solution.



Aqua V2 IP66

132cm (52")
178cm (70")

Available in 3 colour options

- IP66 Certified - dustproof and waterproof, provides protection against high pressure (12.5mm) water jets.
- 9 speed remote
- Available with 18W CCT LED light (dimmable)
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- 7 year warranty[^]



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades
(with light model shown)



MATT BLACK WITH KOA

With Koa finished polymer blades

^{*} Works with Pixie or Wifi Modules each sold separately.

[^]Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.

Aqua V2 IP66

132cm (52") / 178cm (70")



132cm (52")

AIP2661 - White with White Blades
AIP2662 - Matt Black with Matt Black Blades
AIP2663 - Matt Black with Koa Blades

132cm (52") with 18W CCT LED light

AIP2667 - White with White Blades
AIP2668 - Matt Black with Matt Black Blades
AIP2669 - Matt Black with Koa Blades

178cm (70")

AIP2664 - White with White Blades
AIP2665 - Matt Black with Matt Black Blades
AIP2666 - Matt Black with Koa Blades

178cm (70") with 18W CCT LED light

AIP2670 - White with White Blades
AIP2671 - Matt Black with Matt Black Blades
AIP2672 - Matt Black with Koa Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control (9 speed)

THD Down Rod 26mm diameter

(includes wire loom)
DC2460 - 91cm White Threaded Downrod
DC2461 - 91cm Black Threaded Downrod
DC2467 - 180cm White Threaded Downrod
DC2468 - 180cm Black Threaded Downrod


38° Ceiling Kit (for pitched ceilings)**

O80 - Ceiling Kit White
O83 - Ceiling Kit Black

O09 - T-Hook for ceiling roses**

**If using accessory 38° Ceiling Kit or T-Hook this fan is no longer IP66 rated.

DIMENSIONS



	132cm (52")	132cm (52") with Light	178cm (70")	178cm (70") with Light
A (mm)	1320	1320	1780	1780
B (mm)	290	345	300	360
C (mm)	290	290	300	300
D (mm)	160	160	160	160
E (mm)	86	86	86	86

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52")	RPMS	82	93	145	160	165	177	185	191	195
	OUTPUT (WATTS)	2.0	4.0	7.3	11.5	13.5	14.8	16.0	18.1	19.5
	AIRFLOW (CMH*)	4358	5174	8644	10519	11395	12853	13007	13852	15643
178cm (70")	RPMS	79	96	122	129	135	142	147	153	158
	OUTPUT (WATTS)	7.6	13.2	25.0	29.9	34.3	39.3	44.2	48.4	52.7
	AIRFLOW (CMH*)	5509	6795	10954	12158	13685	15852	18956	21567	24895

* CMH = Cubic Meters per Hour



Concept DC

122cm (48")

132cm (52")

Available in 2 colour options

- 6 speed remote with sleep mode
- Summer/Winter reversible via remote
- Polymer blades
- Available with 18W CCT LED light, variable white & variable dimming
- Smart home options
- DC wall control option
- Suitable for pitched ceilings up to 18°
- 7 year warranty^



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.



SCAN FOR
MORE INFO

Concept DC 122cm (48") / 132cm (52")



122cm (48")

C345 - White with White Blades

122cm (48") with 18W CCT LED light

CL347 - White with White Blades

132cm (52")

C350 - White with White Blades

C351 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

CL355 - White with White Blades

CL356 - Matt Black with Matt Black Blades



6 Speed Remote
Control Included

Accessories (sold separately):

PXIEM098 - HPI Pixie Module*

WIFIM099 - Smart WiFi Module*

DCWC2409 - 240V DC Wall Control (6 speed)

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White

083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod

013 - 91cm Black Downrod

020 - 180cm White Downrod

023 - 180cm Black Downrod


Light Fitting:

18W variable dimming LED light via remote

Variable Colour Temperature: 3000K to 6000K

Output (lm): 1842 to 2123

DIMENSIONS



	122cm (48")	122cm (48") with Light	132cm (52")	52" with Light
A (mm)	1220	1220	1320	1320
B (mm)	330	350	330	350
C (mm)	300	300	300	300
D (mm)	173	173	173	173
E (mm)	64	64	64	64

AIRFLOW

SPEED		1	2	3	4	5	6
122cm (48")	RPMS	76	93	129	147	168	190
	OUTPUT (WATTS)	3.8	5.4	11.9	17.5	26.3	33.9
	AIRFLOW (CMH*)	3798	5169	6913	9058	10901	14001
132cm (52")	RPMS	76	93	129	147	168	190
	OUTPUT (WATTS)	3.9	5.6	12.6	18.5	27.1	34.8
	AIRFLOW (CMH*)	3990	5235	6986	9105	10924	14198

* CMH = Cubic Meters per Hour



Evolve EC/DC

122cm (48")

132cm (52")

152cm (60")

Available in 3 colour options

- 9 speed remote
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- Optional accessory 18W CCT light kit (dimmable)
- 7 year warranty^



MATT BLACK WITH KOA

With Koa finished polymer blades



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades
(optional light kit installed)

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.

SCAN FOR
MORE INFO

Evolve EC/DC 122cm (48") / 132cm (52") / 152cm (60")



122cm (48")

E360 - White with White Blades
E361 - Matt Black with Matt Black Blades
E362 - Matt Black with Koa Blades

132cm (52")

E363 - White with White Blades
E364 - Matt Black with Matt Black Blades
E365 - Matt Black with Koa Blades

152cm (60")

E366 - White with White Blades
E367 - Matt Black with Matt Black Blades
E368 - Matt Black with Koa Blades

Optional Accessory Light Kit



ELO95
Light Kit White



ELO96
Light Kit Matt Black

Accessories (sold separately):

Light Kit

18W CCT LED light (dimmable)
Colour Temperatures (K): 3000, 4000, 6000
Output (lm): 1842 / 2370 / 2123
ELO95 - Light Kit White
ELO96 - Light Kit Matt Black
PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control (9 speed)


Down Rod 26mm diameter

(includes wire loom)
O10 - 91cm White Downrod
O13 - 91cm Black Downrod
O20 - 180cm White Downrod
O23 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)

O80 - Ceiling Kit White
O83 - Ceiling Kit Black
O09 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	132cm (52")	152cm (60")
A (mm)	1220	1320	1520
B (mm)	295	295	295
C (mm)	295	295	295
D (mm)	170	170	170
E (mm)	60	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	82	101	119	134	150	163	173	183	196
	OUTPUT (WATTS)	3.5	4.7	9.8	12.3	15.4	18.2	21.1	23.5	26.1
	AIRFLOW (CMH*)	3985	5096	8656	9778	10595	11212	12663	13058	13869
132cm (52")	RPMS	82	102	119	134	150	163	173	183	196
	OUTPUT (WATTS)	3.6	4.8	10.1	12.9	15.9	18.6	21.6	23.8	26.2
	AIRFLOW (CMH*)	4175	4683	8973	10000	10853	11675	12084	13151	14798
152cm (60")	RPMS	82	101	119	139	154	166	177	188	197
	OUTPUT (WATTS)	3.8	5.1	9.3	13.1	17.0	22.0	27.0	31.2	35.8
	AIRFLOW (CMH*)	4568	5682	6123	7987	9852	10259	12123	14255	16312

* CMH = Cubic Meters per Hour

Fan shown:
Black Motor with Oak Blades

**DESIGNED
YOUR WAY**

This revolutionary ceiling fan is available in separate part sets allowing customisation including size and colour options

- 9 speed remote with sleep mode
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Energy efficient and quiet DC motor
- Smart home options
- DC wall control option
- Optional accessory 18W CCT LED light, variable white & variable dimming
- Suitable for flat & pitched ceilings up to 16°
- 7 year warranty*

Icon DC 122cm (48")
137cm (54")
152cm (60")



1600
MOTOR ONLY - WHITE
Blades sold separately



1601
MOTOR ONLY - MATT BLACK
Blades sold separately



BLADES
(sold separately)
Set of 4

Blade sets available in:
(fan diameter)
122cm (48")
137cm (54")
152cm (60")



SIZE	White	Matt Black	Oak	Koa
122cm (48")	IB610	IB611	IB612	IB613
137cm (54")	IB615	IB616	IB617	IB618
152cm (60")	IB620	IB621	IB622	IB623

ACCESSORY LIGHT KIT
(sold separately)
Available in White or Black



IL605 - Light Kit White



IL606 - Light Kit Matt Black

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.

SCAN FOR
MORE INFO

Icon DC 122cm (48") / 137cm (54") / 152cm (60")

9 SPEED
REMOTEWORKS
WITH
PIXIE

WiFi

REVERSIBLE

SLEEP
MODE7 YEAR
WARRANTY

Product Range: Motor (Blades sold separately)

I600 - Motor Only - White
I601 - Motor Only - Matt Black

Blades 122cm (48") fan diameter (sold separately)

IB610 - Blade set (4) 122cm (48") - White
IB611 - Blade set (4) 122cm (48") - Matt Black
IB612 - Blade set (4) 122cm (48") - Oak
IB613 - Blade set (4) 122cm (48") - Koa

Blades 137cm (54") fan diameter (sold separately)

IB615 - Blade set (4) 137cm (54") - White
IB616 - Blade set (4) 137cm (54") - Matt Black
IB617 - Blade set (4) 137cm (54") - Oak
IB618 - Blade set (4) 137cm (54") - Koa

Blades 152cm (60") fan diameter (sold separately)

IB620 - Blade set (4) 152cm (60") - White
IB621 - Blade set (4) 152cm (60") - Matt Black
IB622 - Blade set (4) 152cm (60") - Oak
IB623 - Blade set (4) 152cm (60") - Koa

Accessories (sold separately):

Light Kit

18W CCT LED light (dimnable)
Colour Temperatures (K): 3000, 4000, 6000
Output (lm): 1842 / 2370 / 2123
IL605 - Light Kit White
IL606 - Light Kit Matt Black

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 26mm diameter


(includes wire loom)
O10 - 91cm White Downrod
O13 - 91cm Black Downrod
O20 - 180cm White Downrod
O23 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)

O80 - Ceiling Kit White
O83 - Ceiling Kit Black

O09 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	137cm (54")	152cm (60")
A (mm)	1219	1372	1524
B (mm)	330	330	330
C (mm)	299	298	298
D (mm)	170	170	170
E (mm)	68.5	68.5	68.5
Blade Pitch	18°	16.5°	15°

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	87	108	170	194	206	218	223	232	242
	OUTPUT (WATTS)	2.9	4.4	12.2	18.4	21.9	25.6	27.6	31.4	34.9
	AIRFLOW (CMH*)	4012	4719	7865	8600	9600	10800	12065	13058	13995
137cm (54")	RPMS	87	108	150	172	183	191	198	205	212
	OUTPUT (WATTS)	3.3	5.6	11.0	18.3	21.9	25.7	27.7	31.2	34.7
	AIRFLOW (CMH*)	4201	5400	7850	9560	10456	10989	12568	13456	14852
152cm (60")	RPMS	87	107	137	157	165	174	178	185	191
	OUTPUT (WATTS)	4.1	6.4	12.8	18.3	22.0	25.8	27.8	31.4	34.8
	AIRFLOW (CMH*)	5502	7235	8503	9850	10455	11031	11985	14356	16521

* CMH = Cubic Meters per Hour



Available in 2 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Smart home options
- DC wall control option
- 7 year warranty^

Magnum DC

203cm (80")



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.

Magnum DC 203cm (80")

9 SPEED
REMOTE

WORKS
WITH
PIXIE*

WiFi*

REVERSIBLE

7.5°
BLADE
PITCH

7 YEAR
WARRANTY



203cm (80")

M800 - White with Matt White Blades
M801 - Black with Matt Black Blades



9 Speed Remote
Control Included

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control
(9 speed)

Down Rod 26mm diameter (includes wire loom)


010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	203cm (80")
A (mm)	2030
B (mm)	310
C (mm)	300
D (mm)	175
E (mm)	61

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
203cm (80")	RPMS	68	86	96	103	110	113	118	123	130
	OUTPUT (WATTS)	8.7	15.2	20.9	25.2	30.2	35.1	39.4	44.3	53.3
	AIRFLOW (CMH*)	11068	13277	14427	15706	16539	17448	17625	18264	22328

* CMH = Cubic Meters per Hour



Available in 2 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Available with 18W CCT LED light (dimmable)
- Smart home options
- DC wall control option
- 7 year warranty^

Next Creation V2

132cm (52")



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.

Next Creation V2 132cm (52")



SCAN FOR
MORE INFO

132cm (52")

NC2151 - White with White Blades
NC2152 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

NCL2155 - White with White Blades
NCL2156 - Matt Black with Matt Black Blades



9 Speed Remote
Control Included

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control
(9 speed)

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White
083 - Ceiling Kit Black


009 - T-Hook for ceiling roses

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

DIMENSIONS



	132cm (52")	132cm (52") with Light
A (mm)	1320	1320
B (mm)	310	330
C (mm)	300	300
D (mm)	168	168
E (mm)	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52")	RPMS	86	103	139	160	170	178	188	196	202
	OUTPUT (WATTS)	2.9	4.6	9.7	12.3	15.6	17.5	21.5	23.4	25.9
	AIRFLOW (CMH*)	4175	4683	8973	10000	10853	11675	12084	13151	14315

* CMH = Cubic Meters per Hour



Nextgen DC

122cm (48")
132cm (52")
142cm (56")

Available in 3 sizes &
2 colour options

- 9 speed remote with sleep mode
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Available with 18W CCT LED light, variable white & variable dimming
- Smart home options
- DC wall control option
- Suitable for flat & pitched ceilings up to 16°
- 7 year warranty^



WHITE

With white polymer blades

9 Speed Remote
Control Included



MATT BLACK

With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.



SCAN FOR
MORE INFO

Nextgen DC 122cm (48") / 132cm (52") / 142cm (56")



122cm (48")

NG4840 - Matt White with Matt White Blades
NG4841 - Matt Black with Matt Black Blades

122cm (48") with 18W CCT LED light

NGL4845 - Matt White with Matt White Blades
NGL4846 - Matt Black with Matt Black Blades

132cm (52")

NG5240 - Matt White with Matt White Blades
NG5241 - Matt Black with Matt Black Blades

132cm (52") with 18W CCT LED light

NGL5245 - Matt White with Matt White Blades
NGL5246 - Matt Black with Matt Black Blades

142cm (56")

NG5640 - Matt White with Matt White Blades
NG5641 - Matt Black with Matt Black Blades

142cm (56") with 18W CCT LED light

NGL5645 - Matt White with Matt White Blades
NGL5646 - Matt Black with Matt Black Blades

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control
(9 speed)

Down Rod 26mm diameter

(includes wire loom)

O10 - 91cm White Downrod
O13 - 91cm Black Downrod
O20 - 180cm White Downrod
O23 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)


O80 - Ceiling Kit White
O83 - Ceiling Kit Black

O09 - T-Hook for ceiling roses

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

DIMENSIONS



	122cm (48")		132cm (52")		142cm (56")	
	No Light	With Light	No Light	With Light	No Light	With Light
A (mm)	1219	1219	1320	1320	1422	1422
B (mm)	279	312	275	312	275	312
C (mm)	279	297	275	293	275	293
D (mm)	170	170	170	170	170	170
E (mm)	68.5	68.5	68.5	68.5	68.5	68.5

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	87	106	148	170	180	192	196	205	212
	OUTPUT (WATTS)	3.8	5.4	12.7	18.0	22.5	25.6	27.8	31.3	34.8
	AIRFLOW (CMH*)	4287	5460	7341	8513	9568	11212	12663	13058	13562
132cm (52")	RPMS	86	106	147	174	184	190	196	210	220
	OUTPUT (WATTS)	3.8	6.1	12.6	18.5	22.0	26.0	28.0	32.0	35.0
	AIRFLOW (CMH*)	4706	5829	7863	8649	9985	11675	12084	13151	14269
142cm (56")	RPMS	84	106	115	132	140	145	152	157	161
	OUTPUT (WATTS)	5.5	9.5	120	18.0	22.4	26.0	28.0	32.0	34.5
	AIRFLOW (CMH*)	6132	7743	8567	9558	10235	11834	12853	13987	15025

* CMH = Cubic Meters per Hour



Available in 3 colour options

- Quick Connect Blade System
- Optional Timber Look blade sets
- 9 Speed remote Control and 9 Speed DC wall Control included
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote or wall control (if installed)
- ABS polymer UV stabilised blades
- Smart home options
- Available with 18W CCT LED light (dimmable)
- 7 year warranty[^]

Pinnacle V2

132cm (52")



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades



BRUSHED ALUMINIUM

With silver polymer blades
(with light model shown)

^{*} Works with Pixie or Wifi Modules each sold separately.

[^]Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.



SCAN FOR
MORE INFO

Pinnacle V2 132cm (52'')



132cm (52'')

P2200 - White with White Blades
P2201 - Matt Black with Matt Black Blades
P2202 - Brushed Aluminium with Silver Blades



9 Speed remote Control
and 9 Speed DC wall
Control included

132cm (52'') with 18W CCT LED light

PL2205 - White with White Blades
PL2206 - Matt Black with Matt Black Blades
PL2207 - Brushed Aluminium with Silver Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*

THD Down Rod 26mm diameter

(includes wire loom)

DC2460 - 91cm White Threaded Downrod
DC2461 - 91cm Black Threaded Downrod
DC2462 - 91cm Brushed Aluminium Threaded Downrod
DC2467 - 180cm White Threaded Downrod
DC2468 - 180cm Black Threaded Downrod
DC2469 - 180cm Brushed Aluminium Threaded Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White
082 - Ceiling Kit Painted Silver
083 - Ceiling Kit Black
009 - T-Hook for ceiling roses

Optional Accessory Blade sets only
available in Bamboo or Koa finish.




Koa Finish
DCPB208



Bamboo Finish
DCPB209

DIMENSIONS



	132cm (52'')	132cm (52'') with Light
A (mm)	1320	1320
B (mm)	275	315
C (mm)	255	255
D (mm)	168	168
E (mm)	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
132cm (52'')	RPMS	79	93	150	159	174	189	199	209	214
	OUTPUT (WATTS)	2.7	3.8	9.6	12.5	15.4	17.6	21.1	22.5	25.3
	AIRFLOW (CMH*)	4953	5943	9734	11001	11987	12254	13954	14038	15101

* CMH = Cubic Meters per Hour



Polar V2

122cm (48")

142cm (56")

Available in 2 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- ABS polymer UV stabilised blades
- Smart home options
- Available with 18W CCT LED light (dimmable)
- DC wall control option
- 7 year warranty^



WHITE

With white polymer blades



MATT BLACK

With matt black polymer blades
(with light model shown)

* Works with Pixie or Wifi Modules each sold separately.

^Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.



SCAN FOR
MORE INFO

Polar V2 122cm (48") / 142cm (56")



122cm (48")

P3B2571 - White with White Blades
P3B2572 - Matt Black with Matt Black Blades

122cm (48") with 18W CCT LED light

P3BL2581 - White with White Blades
P3BL2582 - Matt Black with Matt Black Blades

142cm (56")

P3B2575 - White with White Blades
P3B2576 - Matt Black with Matt Black Blades

142cm (56") with 18W CCT LED light

P3BL2585 - White with White Blades
P3BL2586 - Matt Black with Matt Black Blades



9 Speed Remote
Control Included

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall
Control (9 speed)

Down Rod 26mm diameter (includes wire loom)


010 - 91cm White Downrod
013 - 91cm Black Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

DIMENSIONS



	122cm (48")	122cm (48") with Light	142cm (56")	142cm (56") with Light
A (mm)	1220	1220	1420	1420
B (mm)	310	335	310	335
C (mm)	300	300	300	300
D (mm)	168	168	168	168
E (mm)	60	60	60	60

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
122cm (48")	RPMS	78	92	165	177	197	208	221	224	228
	OUTPUT (WATTS)	3.0	3.5	9.5	12.2	15.1	18.3	21.1	23.1	25.5
	AIRFLOW (CMH*)	3893	5097	8656	9778	10596	11212	12663	13058	13860
142cm (56")	RPMS	86	103	139	160	170	178	188	196	202
	OUTPUT (WATTS)	3.0	4.6	9.7	12.3	15.6	17.5	21.5	23.4	25.9
	AIRFLOW (CMH*)	4526	5568	9146	10122	10834	11834	12853	13987	14928

* CMH = Cubic Meters per Hour



The Big Fan V2

222cm (86")
270cm (106")

Available in 3 colour options

- 9 speed remote
- Energy efficient and quiet DC motor
- Summer/Winter reversible via remote
- Aerodynamic wedge compression blades
- Smart home options
- DC wall control option
- 7 year warranty[^]



WHITE

With white blades



MATT BLACK

With matt black blades



MATT BLACK WITH NATURAL OAK

With Natural Oak finished blades

^{*} Works with Pixie or Wifi Modules each sold separately.

[^]Please refer to website for full terms and conditions.

NOTE: Actual product colour may vary from the images shown.



SCAN FOR
MORE INFO

The Big Fan V2 222cm (86") / 270cm (106")



222cm (86")

TBF0861 - White with White Blades
TBF0862 - Matt Black with Black Blades
TBF0864 - Matt Black with Natural Oak Finished Blades

270cm (106")

TBF1061 - White with White Blades
TBF1062 - Matt Black with Black Blades
TBF1064 - Matt Black with Natural Oak Finished Blades



9 Speed Remote
Control Included


Accessories (sold separately):

PIXIEM098 - HPI Pixie Module*
WIFIM099 - Smart WiFi Module*
DCWC2409 - 240V DC Wall Control (9 speed)

Down Rod 60mm diameter

(includes wire loom)
DC2470 - 91cm White Downrod
DC2471 - 91cm Black Downrod
DC2477 - 180cm White Downrod
DC2478 - 180cm Black Downrod

DIMENSIONS



	222cm (86")	270cm (106")
A (mm)	2220	2690
B (mm)	500	600
C (mm)	450	550
D (mm)	192	192
E (mm)	130	130

AIRFLOW

SPEED		1	2	3	4	5	6	7	8	9
222cm (86")	RPMS	61	70	83	89	94	98	102	105	120
	OUTPUT (WATTS)	11.2	15.9	25.3	30.0	34.6	39.6	44.4	48.4	54.1
	AIRFLOW (CMH*)	11598	13987	16897	18095	20698	24557	28568	31587	35480
270cm (106")	RPMS	53	62	70	73	78	80	82	86	97
	OUTPUT (WATTS)	15.7	26.0	37.0	41.7	47.3	51.8	57.0	67.4	75.9
	AIRFLOW (CMH*)	13268	16527	20123	24358	28745	32456	36524	40359	43620

* CMH = Cubic Meters per Hour



X-Over

90cm (36")
122cm (48")
142cm (56")

Available in white

- Quick Connect Blade System
- 3 Speed Wall Control including RF MCU Unit
- Energy efficient and quiet DC motor
- Summer/Winter reversible via switch on motor
- ABS polymer UV stabilised blades
- Non Remote Adaptable
- Available with 18W dimmable CCT LED light (requires dimmer)
- Suitable for pitched ceilings up to 28°
- 7 year warranty^



WHITE

With white polymer blades



WHITE

With white polymer blades
(with light model shown)

SCAN FOR
MORE INFO

X-Over 90cm (36") / 122cm (48") / 142cm (56")

3 SPEED
WALL
CONTROL

REVERSIBLE

7 YEAR
WARRANTY

90cm (36") / 122cm (48") / 142cm (56")

XO290 - 90cm (36") White with White Blades
XO300 - 122cm (48") White with White Blades
XO308 - 142cm (56") White with White Blades

90cm (36") / 122cm (48") / 142cm (56") with 18W CCT LED light

XOL295 - 90cm (36") White with White Blades
XOL302 - 122cm (48") White with White Blades
XOL310 - 142cm (56") White with White Blades

Light Fitting:

18W CCT LED light (dimmable)
Colour Temperatures: 3000 K, 4000 K,
6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod


020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White

009 - T-Hook for ceiling roses

DIMENSIONS



	90cm (36")		122cm (48")		142cm (56")	
	No Light	With Light	No Light	With Light	No Light	With Light
A (mm)	914	914	1220	1220	1420	1420
B (mm)	299	305	339	396	339	396
C (mm)	265	265	300	300	300	300
D (mm)	168	168	170	170	170	170
E (mm)	60	60	60	60	60	60
Blade Pitch	17°	17°	10°	10°	10°	10°

AIRFLOW

SPEED		LOW	MED	HIGH
90cm (36")	RPMS	110	168	219
	OUTPUT (WATTS)	4.0	10.0	20.0
	AIRFLOW (CMH*)	2090	4663	8665
122cm (48")	RPMS	80	149	205
	OUTPUT (WATTS)	2.9	11.8	25.8
	AIRFLOW (CMH*)	4350	11501	13250
142cm (56")	RPMS	77	135	181
	OUTPUT (WATTS)	3.8	13.7	35.3
	AIRFLOW (CMH*)	4835	12958	14953

* CMH = Cubic Meters per Hour



X-Over

132cm (52")

Available in white

- Quick Connect Blade System
- 3 Speed Wall Control including RF MCU Unit
- Energy efficient and quiet DC motor
- Summer/Winter reversible via switch on motor
- ABS polymer UV stabilised blades
- Non Remote Adaptable
- Available with 18W dimmable CCT LED light (requires dimmer)
- Suitable for pitched ceilings up to 28°
- 7 year warranty[^]



WHITE

With white polymer blades



WHITE

With white polymer blades
(with light model shown)

X-Over 132cm (52")

3 SPEED
WALL
CONTROL

REVERSIBLE

10.7°
BLADE
PITCH

7 YEAR
WARRANTY



SCAN FOR
MORE INFO

132cm (52")

XO304 - White with White Blades

132cm (52") with 18W CCT LED light

XOL306 - White with White Blades

Light Fitting:

18W CCT LED light (dimnable)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod


020 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White

009 - T-Hook for ceiling roses

DIMENSIONS



AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	78	143	190
	OUTPUT (WATTS)	3.0	10.8	25.1
	AIRFLOW (CMH*)	4828	12001	13852

* CMH = Cubic Meters per Hour



Revolution 3

132cm (52")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Slimline Motor Technology (SMT)
- Dynamic Aerofoil Injection moulded blades
- Remote Adaptable
- Available with 24W CCT LED light (dimmable)
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^



WHITE

With white blades



WHITE

With white blades
(with light model shown)

Revolution 3 132cm (52")

3 SPEED
WALL
CONTROL

REMOTE
ADAPTABLE

REVERSIBLE

10°
BLADE
PITCH

7 YEAR
WARRANTY



SCAN FOR
MORE INFO

132cm (52")

A3180- White with White Blades

132cm (52") with 24W CCT LED light

A3183- White with White Blades

Light Fitting:

24W dimmable LED light (via accessory remote or compatible dimmer)

Colour Temperatures: 3000 K, 4000 K, 6000 K

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

O10 - 91cm White Downrod

O20 - 180cm White Downrod

38° Ceiling Kit (for pitched ceilings)

O80 - Ceiling Kit White

O09 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming AC remote)

A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit

O07 - 1050Hz Notch Filter Noise Suppressor

O08 - 750Hz Notch Filter Noise Suppressor

Replacement Parts

A3192 - Revolution 3 White 24W LED Replacement


W06-015 Capacitor 2 & 3.5uF

W06-018 Wall Mech & Knob Only

W06-023 Start Run Cap 1.8uF

W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")	132cm (52") with Light
A (mm)	1320	1320
B (mm)	300	330
C (mm)	290	290
D (mm)	148	148
E (mm)	53.5	53.5

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	95	135	203
	OUTPUT (WATTS)	11.9	25.0	55.9
	AIRFLOW (CMH*)	5163	7213	14308

* CMH = Cubic Meters per Hour



Available in 3 colour options

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Polymer tapered blades
- Remote Adaptable
- Available with 18W CCT LED light (dimmable)
- Available with 2x E27 lamp holders (bulbs not included) - white only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty^

Concept AC

132cm (52")



WHITE

With white blades



MATT BLACK

With matt black blades
(with LED light model shown)



BRUSHED ALUMINIUM

With silver blades



WHITE with 2xE27 Light

Available in white only

Concept AC 132cm (52")



132cm (52")

C500 - White with White Blades
C501 - Matt Black with Matt Black Blades
C502 - Brushed Aluminium with Silver Blades

132cm (52") with 2xE27 Light

CL503 - White with White Blades

132cm (52") with 18W CCT LED light

CL506 - White with White Blades
CL507 - Matt Black with Matt Black Blades
CL508 - Brushed Aluminium with Silver Blades

Light Fitting:

18W dimmable LED light (via accessory remote or compatible dimmer)
Colour Temperatures: 3000 K, 4000 K, 6000 K
Output (lm): 1842 / 2370 / 2123

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod
013 - 91cm Black Downrod
018 - 91cm Brushed Aluminium Downrod
020 - 180cm White Downrod
023 - 180cm Black Downrod
028 - 180cm Brushed Aluminium Downrod

38° Ceiling Kit (for pitched ceilings)

080 - Ceiling Kit White
082 - Ceiling Kit Painted Silver
083 - Ceiling Kit Black

009 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming AC remote)
A2003 - Logic (4 speed - dimming, timer function, AC remote)


Zellweger Ripple Tone Filter Unit

007 - 1050Hz Notch Filter Noise Suppressor
008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts

W06-015 Capacitor 2 & 3.5uF
W06-018 Wall Mech & Knob Only
W06-023 Start Run Cap 1.8uF
W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")	132cm (52") with LED Light	132cm (52") with 2xE27
A (mm)	1320	1320	1320
B (mm)	335	365	432
C (mm)	270	270	280
D (mm)	173	173	173
E (mm)	56	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	84	121	192
	OUTPUT (WATTS)	12.5	26	62
	AIRFLOW (CMH*)	4986	6987	14096

* CMH = Cubic Meters per Hour



Azure 26 Moulded

122cm (48")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Moulded plastic blades
- Remote Adaptable
- Available with 2x E27 lamp holders (bulbs not included)
- Indoor use only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty[^]



WHITE

With white blades



WHITE

With white blades
(with light model shown)



Azure 26 Moulded 122cm (48")



122cm (48")

AM2600 - White with White Blades

122cm (48") with 2x E27 lamp holders

AM2605 - White with White Blades + 2x E27

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod

020 - 180cm White Downrod

009 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming AC remote)

A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit

007 - 1050Hz Notch Filter Noise Suppressor

008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts

W04-504 Replacement Diffuser Only


W06-015 Capacitor 2 & 3.5uF

W06-018 Wall Mech & Knob Only

W06-020 Start Run Cap 1.5uF

W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	122cm (48")	122cm (48") with Light
A (mm)	1220	1220
B (mm)	340	400
C (mm)	290	290
D (mm)	131	131
E (mm)	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	145	182
	OUTPUT (WATTS)	15.6	26.9	47.2
	AIRFLOW (CMH*)	6459	8637	11542

* CMH = Cubic Meters per Hour



Azure 26 Timber

122cm (48")

Available in white

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Plywood blades
- Remote Adaptable
- Available with 2x E27 lamp holders (bulbs not included)
- Indoor use only
- Suitable for flat & pitched ceilings up to 28°
- 7 year warranty[^]



WHITE

With white blades



WHITE

With white blades
(with light model shown)

Azure 26 Timber 122cm (48") / 132cm (52")

3 SPEED
WALL
CONTROL

REMOTE
ADAPTABLE

REVERSIBLE

10°
BLADE
PITCH

7 YEAR
WARRANTY



122cm (48")

AT2610 - Matt White with Matt White Blades

122cm (48") with 2x E27 lamp holders

AT2615 - Matt White with Matt White Blades

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod

020 - 180cm White Downrod

009 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming
AC remote)

A2003 - Logic (4 speed - dimming, timer
function, AC remote)

Zellweger Ripple Tone Filter Unit

007 - 1050Hz Notch Filter Noise Suppressor

008 - 750Hz Notch Filter Noise Suppressor

Replacement Parts

W04-504 Replacement Diffuser Only


W06-015 Capacitor 2 & 3.5uF

W06-018 Wall Mech & Knob Only

W06-020 Start Run Cap 1.5uF

W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	122cm (48")	122cm (48") with Light
A (mm)	1220	1220
B (mm)	340	400
C (mm)	290	290
D (mm)	131	131
E (mm)	56	56

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	145	182
	OUTPUT (WATTS)	15.6	26.9	47.2
	AIRFLOW (CMH*)	6459	8637	11542

* CMH = Cubic Meters per Hour



Typhoon 26

122cm (48")

132cm (52")

142cm (56")

Available in 2 colour options

- 3 Speed wall Control
- Summer/Winter reversible via switch on motor
- Light Adaptable
- Remote Adaptable
- White: Indoor use only
- 316 Stainless Steel: Indoor, coastal and outdoor undercover^
- Suitable for pitched ceilings up to 32°
- 7 year warranty^



WHITE

With white blades



Optional Accessory Light Kit
(lamps not included)
A3480 - Eclipse White
2 x E27 light



316 STAINLESS STEEL

With stainless steel blades



Optional Accessory Light Kit
(lamps not included)
A3484 - Eclipse 316
Stainless Steel 2 x E27 light

SCAN FOR
MORE INFO

Typhoon 26 122cm (48") / 132cm (52") / 142cm (56")

3 SPEED
WALL
CONTROLREMOTE
ADAPTABLELIGHT
ADAPTABLE

REVERSIBLE

19°
BLADE
PITCH7 YEAR
WARRANTY

122cm (48")

T710 - White with White Blades

T715 - 316 Stainless Steel with Stainless Steel Blades

132cm (52")

T720 - White with White Blades

T725 - 316 Stainless Steel with Stainless Steel Blades

142cm (56")

T730 - White with White Blades

T735 - 316 Stainless Steel with Stainless Steel Blades

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

O10 - 91cm White Downrod

O19 - 91cm 316 Stainless Steel Downrod

O20 - 180cm White Downrod

O29 - 180cm 316 Stainless Steel Downrod

O09 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming
AC remote)A2003 - Logic (4 speed - dimming, timer
function, AC remote)

Zellweger Ripple Tone Filter Unit

O07 - 1050Hz Notch Filter Noise Suppressor

O08 - 750Hz Notch Filter Noise Suppressor

Light Kit (lamps not included)

A3480 - Eclipse White 2 x E27 light


A3484 - Eclipse 316 Stainless Steel 2 x E27 light

Replacement Parts

W06-O18 Wall Mech & Knob Only

W06-O28 Start Run Capacitor 2.2uF

DIMENSIONS



	122cm (48")	132cm (52")	142cm (56")
A (mm)	1220	1320	1420
B (mm)	370	370	370
C (mm)	300	300	300
D (mm)	153	153	153
E (mm)	48	48	48

AIRFLOW

SPEED		LOW	MED	HIGH
122cm (48")	RPMS	102	189	258
	OUTPUT (WATTS)	14.0	29.9	64.1
	AIRFLOW (CMH*)	5627	8948	13824
132cm (52")	RPMS	98	154	208
	OUTPUT (WATTS)	14.0	30.0	64.0
	AIRFLOW (CMH*)	7239	11137	16345
142cm (56")	RPMS	94	164	220
	OUTPUT (WATTS)	18.0	34.0	72.8
	AIRFLOW (CMH*)	7941	12498	18512

* CMH = Cubic Meters per Hour



Available in 2 colour options

- 3 Speed pull cord
- Summer/Winter reversible via switch on motor
- Plywood blades
- Remote adaptable
- 3 speed wall control adaptable
- Indoor use only
- Suitable for flat & pitched ceilings up to 32°
- 7 year warranty^

Coolah 26

132cm (52")



WHITE

With white blades
(Rattan Insert on one side)



ANTIQUE BRASS

With walnut blades
(Rattan Insert on one side)

Coolah 26 132cm (52")



132cm (52")

C740 - White with White Blades

C745 - Antique Brass with Walnut Blades

Accessories (sold separately):

Down Rod 26mm diameter

(includes wire loom)

010 - 91cm White Downrod

016 - 91cm Antique Brass Downrod

020 - 180cm White Downrod

009 - T-Hook for ceiling roses

AC Remote Control Units

A2002 - Konetik (3 speed - non dimming AC remote)

A2003 - Logic (4 speed - dimming, timer function, AC remote)

Zellweger Ripple Tone Filter Unit

007 - 1050Hz Notch Filter Noise Suppressor

008 - 750Hz Notch Filter Noise Suppressor


Light Kit (lamps not included)

A3480 Eclipse White 2 x E27

Optional Wall Control

W06-026 Wall Mech & Capacitor 2 & 3.5uF

DIMENSIONS



	132cm (52")
A (mm)	1320
B (mm)	360
C (mm)	310
D (mm)	173
E (mm)	53

AIRFLOW

SPEED		LOW	MED	HIGH
132cm (52")	RPMS	101	136	197
	OUTPUT (WATTS)	18.5	31.0	60.9
	AIRFLOW (CMH*)	5168	7189	11073

* CMH = Cubic Meters per Hour

FAN SELECTION & ADVICE

Find out about Summer/Winter modes, DC vs AC fans, choosing the right size fan for your home and more...

SCAN THE CODE OR VISIT OUR WEBSITE

www.hunterpacific.com.au



SCAN FOR
MORE INFO

Accessories



DC Wall Control



HPI DC Pixie Module or
HPI DC Wi-Fi Module



T-Hook



Mains Power Noise
Filters 750 Hz or
1050Hz

AC Remotes

KONETIK®

3 speed fan control,
light on/off only.



LOGIC™

4 speed fan control,
light on/off including
dimming plus light and
fan timers.



Extension Rods

Hunter Pacific
offers a range
of accessory
extension down
rods for its entire
range of ceiling
fans.



Universal 38° Degree Ceiling Kit

For angled ceilings up to
38°. Only suitable
for 26mm diameter
rods. Available in
white, black and
brushed aluminium.



Head Office & Warehouse

Unit 12, 22-24 Beaumont Road
Mount Kuring-Gai NSW 2080

SALES:

Ph: 1300 369 828

Email: sales@hunterpacific.com.au

SERVICE:

Ph: 1300 360 280

Email: service@hunterpacific.com.au

www.hunterpacific.com.au

^ Hunter Pacific International Pty Ltd reserves the right to change specifications without notice.
Colours shown may vary from actual product. Refer to website for full terms and conditions.

